ERRATUM

Erratum to: Metal artifact suppression at the hip: diagnostic performance at 3.0 T versus 1.5 Tesla

Lorenzo Nardo¹ • Misung Han¹ • Martin Kretzschmar¹ • Michele Guindani² •
Kevin Koch^{3,4} • Thomas Vail⁵ • Roland Krug¹ • Thomas M. Link¹

Published online: 23 August 2015
© ISS 2015

Erratum to: Skeletal Radiol
DOI 10.1007/s00256-015-2214-5

The original version of this paper unfortunately contained error. The name of Martin Kretzschmar was incorrectly captured and is now corrected in the authorgroup of this article.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00256-015-2214-5>.

✉ Lorenzo Nardo
Lorenzo.Nardo@ucsf.edu

Misung Han
Han.Misung@ucsf.edu

Martin Kretzschmar
Martin.Kretzschmar@ucsf.edu

Michele Guindani
mguindani@mdanderson.org

Kevin Koch
kmkoch@mcw.edu

Thomas Vail
vailt@orthosurg.ucsf.edu

Roland Krug
Roland.Krug@ucsf.edu

Thomas M. Link
thomas.link@ucsf.edu

- ¹ Musculoskeletal and Quantitative Imaging Research, Department of Radiology and Biomedical Imaging, University of California San Francisco, 185 Berry street, suite 350, San Francisco, CA 94107, USA
- ² Department of Biostatistics – Unit 1411, The University of Texas MD Anderson Cancer Center, P.O. Box 301402, Houston, TX 77230-1402, USA
- ³ Department of Biophysics, Medical College of Wisconsin, 8701 Watertown Plank Rd, Milwaukee, WI 53226, USA
- ⁴ Department of Radiology, Medical College of Wisconsin, 8701 Watertown Plank Rd, Milwaukee, WI 53226, USA
- ⁵ Department of Orthopedic Surgery, University of California San Francisco, 500 Parnassus Avenue, MU320, San Francisco, CA 94143, USA