Is standardised ^{18}F -FDG uptake value an outcome predictor in patients with stage III non-small cell lung cancer?

S. M. Eschmann¹, G. Friedel², F. Paulsen³, M. Reimold¹, T. Hehr³, W. Budach³, J. Scheiderbauer³, H. J. Machulla⁴, H. Dittmann¹, R. Vonthein⁵, R. Bares¹

¹ Department of Nuclear Medicine, University of Tübingen, Otfried-Mueller-Strasse 14, 72076 Tübingen, Germany

² Schillerhoehe Hospital of Lung Diseases, Gerlingen, University of Tübingen, Tübingen, Germany

³ Department of Radiation Oncology, University of Tübingen, Tübingen, Germany

⁴ Section Radiopharmacy, University of Tübingen, Tübingen, Germany

⁵ Department of Medical Biometry, University of Tübingen, Tübingen, Germany

Published online: 25 January 2006

© Springer-Verlag 2006

Eur J Nucl Med Mol Imaging (2006) 33:389

DOI 10.1007/s00259-005-1984-8

Eur J Nucl Med Mol Imag (2006) 33:263–269

DOI 10.1007/s00259-005-1953-2

The correct address for the author R. Vonthein is given here.

In the section “Materials and methods”, the last sentence of the subsection “Statistical analysis” should read: “Multiple Cox regression was applied to assess the effects of the following variables on survival: age, gender, SUV_{avg} , histological tumour type, tumour grade, tumour stage and tumour diameter.”

In the section “Results”, the last subheading should be “Multiple survival analysis”. The text under this heading should read: “Adjusted effects were examined using a Cox proportional hazard model. The factors with log-rank P-value below 0.1 were tested (tumour stage and grading).”

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00259-005-1953-2>

S. M. Eschmann (✉)
Department of Nuclear Medicine,
University of Tübingen,
Otfried-Mueller-Strasse 14,
72076 Tübingen, Germany
e-mail: susanne-martina.eschmann@med.uni-tuebingen.de
Tel.: +49-7071-2986412, Fax: +49-7071-295869