Erratum to: Comparison of PI-RADS 2, ADC histogram-derived parameters, and their combination for the diagnosis of peripheral zone prostate cancer

W. C. Lin,^{1,2} A. C. Westphalen,^{1,3} G. E. Silva,⁴ S. Chodraui Filho,⁵ R. B. Reis,⁶
V. F. Muglia⁵

¹Department of Radiology and Biomedical Imaging, University of California, San Francisco, 505, Parnassus Av., San Francisco, CA 94143, USA

²School of Medicine, Department of Radiology, China Medical University and Hospital, Taichung, Taiwan

³Departments of Radiology and Biomedical Imaging, and Urology, University of California, San Francisco, San Francisco, USA

⁴Department of Pathology, Ribeirão Preto School of Medicine, University of São Paulo, São Paulo, Brazil

⁵Division of Radiology, Department of Internal Medicine, Ribeirão Preto School of Medicine, University of São Paulo, São Paulo, Brazil

⁶Division of Urology, Department of Surgery, Ribeirão Preto School of Medicine, University of São Paulo, São Paulo, Brazil

Erratum to: Abdom Radiol (2016) 41(11):2209–2217 DOI: 10.1007/s00261-016-0826-4

Unfortunately, the original version of this article contained a mistake. The affiliation for the first author, W. C. Lin, should read as follows: School of Medicine, Department of Radiology, China Medical University and Hospital, Taichung, Taiwan. It is now corrected.

The online version of the original article can be found under doi:
[10.1007/s00261-016-0826-4](https://doi.org/10.1007/s00261-016-0826-4).

Correspondence to: A. C. Westphalen; *email:* AntonioCarlos.Westphalen@ucsf.edu