Ectopic Pheochromocytoma: Does the Rule of Tens Apply?

R. Madani · M. Al-Hashmi · R. Bliss ·
T. W. J. Lennard

Published online: 18 December 2007
© Société Internationale de Chirurgie 2007

Erratum to: World Journal of Surgery DOI: 10.1007/s00268-006-0608-1

In the above-mentioned article, published in *World Journal of Surgery* volume 31/number 4, pp 849–854, 2007, the figure captions were mis-labeled. Below please find the correct captions:

Figure 1. Meta-iodobenzyl guanidine (MIBG) scan of mediastinal pheochromocytoma

Figure 2. Magnetic resonance imaging scan of a mediastinal pheochromocytoma (arrow)

Figure 3. Computer tomography scan of a neck pheochromocytoma (arrow)

Figure 4. Locations of ectopic pheochromocytoma
We regret this error.

The online version of the original article can be found under doi:
[10.1007/s00268-006-0608-1](https://doi.org/10.1007/s00268-006-0608-1)

R. Madani · M. Al-Hashmi · R. Bliss · T. W. J. Lennard (✉)
Department of Surgery, Royal Victoria Infirmary, Queen
Victoria Road, Newcastle upon Tyne,
Tyne and Wear NE1 4LP, UK
e-mail: t.w.j.lennard@ncl.ac.uk

R. Madani
Department of Surgery, Whittington Hospital, Magdale Ave,
London, UK
e-mail: ranamadani@doctors.org.uk