Erratum to: United Kingdom Carotid Artery Stent Registry: Short- and Long-Term Outcomes

S. D. Goode · T. J. Cleveland · P. A. Gaines

Published online: 29 June 2013

© Springer Science+Business Media New York and the Cardiovascular and Interventional Radiological Society of Europe (CIRSE) 2013

Erratum to: *Cardiovasc Intervent Radiol* DOI 10.1007/s00270-013-0573-7

Figures 2(a) and 2(g) should be switched. The image appearing above the (g) label should appear above the

(a) label, and the image appearing above the (a) label should appear above the (g) label. The corrected Fig. 2 appears below.

The online version of the original article can be found under doi:[10.1007/s00270-013-0573-7](https://doi.org/10.1007/s00270-013-0573-7).

S. D. Goode (✉) · T. J. Cleveland · P. A. Gaines
Sheffield Vascular Institute, Northern General Hospital,
Herries Road, Sheffield S5 7AU, UK
e-mail: s.goode@sheffield.ac.uk

Fig. 2 Diagrammatic representation of CAS procedure. **A** Carotid angiogram showing tight stenosis of the ICA. **B** Distal protection device placed. **C** Predilatation of the stenosis narrowing. **D** Stent

deployment. **E** Postdilatation of the stent. **F** Expanded stent with protection device removed. **G** Postprocedure carotid angiogram showing stent across the carotid stenosis