Erratum to: Posttreatment PET-CT-Confirmed Intrahepatic Radioembolization Performed Without Coil Embolization, by Using the Antireflux Surefire Infusion System

Andor F. van den Hoven · Jip F. Prince · Morsal Samim ·
Aravind Arepally · Bernard A. Zonnenberg · Marnix G. E. H. Lam ·
Maurice A. A. J. van den Bosch

Published online: 17 August 2013

© Springer Science+Business Media New York and the Cardiovascular and Interventional Radiological Society of Europe (CIRSE) 2013

Erratum to: Cardiovasc Intervent Radiol DOI 10.1007/s00270-013-0674-3

The family name of the fifth author was published with a misspelling. The correct spelling (Zonnenberg) appears in this erratum.

The online version of the original article can be found under doi:[10.1007/s00270-013-0674-3](https://doi.org/10.1007/s00270-013-0674-3).

A. F. van den Hoven (✉) · J. F. Prince · M. Samim ·
B. A. Zonnenberg · M. G. E. H. Lam ·
M. A. A. J. van den Bosch
Department of Radiology and Nuclear Medicine, University
Medical Center Utrecht, Heidelberglaan 100, 3584 CX Utrecht,
The Netherlands
e-mail: a.f.vandenhoven@umcutrecht.nl

J. F. Prince
e-mail: j.prince@umcutrecht.nl

M. Samim
e-mail: m.samim-3@umcutrecht.nl

B. A. Zonnenberg
e-mail: b.zonnenberg@umcutrecht.nl

M. G. E. H. Lam
e-mail: m.lam@umcutrecht.nl

M. A. A. J. van den Bosch
e-mail: mbosch@umcutrecht.nl

A. Arepally
Department of Interventional Radiology, Piedmont Healthcare,
Atlanta, GA 30309, USA
e-mail: aarepal@gmail.com