M.-C. Kyrtsionis · T.P. Vassilakopoulos
M.K. Angelopoulou · M.P. Siakantaris
F.N. Kontopidou · M.N. Dimopoulou · V. Boussiotis
D.A. Gribabis · K.Konstantopoulos · G.A. Vaiopoulos
P. Fessas · C. Kittas · G.A. Pangalis

Waldenström's macroglobulinemia: clinical course and prognostic factors in 60 patients

Experience from a single hematology unit

Published online: 7 February 2002
© Springer-Verlag 2002

Ann Hematol (2001) 80:722–727

In the contribution on “Waldenström's macroglobulinemia: clinical course and prognostic factors in 60 patients,” there is an error in the “Treatment” section of “Patients and methods.” It should read “10 mg fixed dose,” rather than “10 mg/kg.” Thus the passage should read as follows:

“Fifty-one patients received intermittent oral chlorambucil as first-line treatment (10 mg fixed dose for 10 days every 28 days).”

The online version of the original article can be found at
<http://dx.doi.org/10.1007/s00277-001-0385-8>

M.-C. Kyrtsionis · T.P. Vassilakopoulos · M.K. Angelopoulou
M.P. Siakantaris · F.N. Kontopidou · M.N. Dimopoulou
V. Boussiotis · D.A. Gribabis · K. Konstantopoulos
G.A. Vaiopoulos · P. Fessas · C. Kittas · G.A. Pangalis (✉)
Hematology Section, First Department of Internal Medicine,
National and Kapodistrian University of Athens,
School of Medicine, Laikon General Hospital,
16 Sevastoupoleos St., Athens 11526, Greece
e-mail: pangalis@otenet.gr
Tel.: +30-1-7719744, Fax: +30-1-6928249