Erratum to: Description of *Geodermatophilus amargosae* sp. nov., to Accommodate the Not Validly Named *Geodermatophilus obscurus* subsp. *amargosae* (Luedemann, 1968)

Maria del Carmen Montero-Calasanz · Markus Göker ·
Manfred Rohde · Cathrin Spröer · Peter Schumann ·
Shanmugam Mayilraj · Michael Goodfellow · Hans-Peter Klenk

Published online: 1 March 2014
© Springer Science+Business Media New York 2014

Erratum to: Curr Microbiol (2014) 68:365–371
DOI 10.1007/s00284-013-0479-2

In the abstract provided in the original description of *Geodermatophilus amargosae* sp. nov., a typographical

error was overlooked, the optimal growth at 2,535 °C should be read as at 25–35 °C. In addition, the term “pleiotropic” used in the Results and Discussion section is incorrect. The correct term is “pleiomorphic”.

The online version of the original article can be found under doi:[10.1007/s00284-013-0479-2](https://doi.org/10.1007/s00284-013-0479-2).

M. C. Montero-Calasanz (✉) · M. Göker · C. Spröer ·
P. Schumann · H.-P. Klenk (✉)
Leibniz Institute DSMZ – German Collection of Microorganisms
and Cell Cultures, Inhoffenstraße 7B, 38124 Brunswick,
Germany
e-mail: mmc11@dsMZ.de

H.-P. Klenk
e-mail: hpk@dsMZ.de

M. C. Montero-Calasanz
IFAPA - Instituto de Investigación y Formación Agraria y
Pesquera, Centro Las Torres-Tomejil, Ctra. Sevilla-Cazalla de la
Sierra, Km 12.2, C.P. 41200 Alcalá del Río, Sevilla, Spain

M. Rohde
HZI – Helmholtz Centre for Infection Research, Inhoffenstraße
7, 38124 Brunswick, Germany

S. Mayilraj
MTCC-Microbial Type Culture Collection & Gene Bank,
Institute of Microbial Technology, Chandigarh 160036, India

M. Goodfellow
School of Biology, Ridley Building, Newcastle University,
Newcastle upon Tyne NE1 7RU, UK
e-mail: m.goodfellow@ncl.ac.uk