

## Erratum to: Biodegradation of Aldrin and Dieldrin by the White-Rot Fungus *Pleurotus ostreatus*


Adi Setyo Purnomo<sup>1</sup> · Refdinal Nawfa<sup>1</sup> · Fahimah Martak<sup>1</sup> · Kuniyoshi Shimizu<sup>2</sup> · Ichiro Kamei<sup>3</sup>

Published online: 10 April 2017  
© Springer Science+Business Media New York 2017

### Erratum to: Curr Microbiol (2017) 74:320–324 DOI 10.1007/s00284-016-1184-8

The original version of this article unfortunately contained a mistake. In Fig. 3 the structure of 9-hydroxyaldrin was incorrect. The correct Fig. 3 is given below.

**Fig. 3** Proposed pathways for metabolism of aldrin by *Pleurotus ostreatus*



The online version of the original article can be found under doi:10.1007/s00284-016-1184-8.

✉ Adi Setyo Purnomo  
adi\_setyo@chem.its.ac.id; adi.spurnomo@yahoo.com

<sup>1</sup> Department of Chemistry, Faculty of Mathematics and Natural Sciences, Institut Teknologi Sepuluh Nopember (ITS), Kampus ITS Sukolilo, Surabaya 60111, Indonesia

<sup>2</sup> Department of Agro-environmental Sciences, Faculty of Agriculture, Kyushu University, 6-10-1 Hakozaeki, Higashi-ku, Fukuoka 812-8581, Japan

<sup>3</sup> Department of Forest and Environmental Sciences, Faculty of Agriculture, University of Miyazaki, 1-1 Gakuen-kibanadai-nishi, Miyazaki 889-2192, Japan