ERRATUM

Erratum to: Impact of model-based iterative reconstruction on low-contrast lesion detection and image quality in abdominal CT: a 12-reader-based comparative phantom study with filtered back projection at different tube voltages

André Euler¹ · Bram Stieltjes¹ · Zsolt Szucs-Farkas² · Reto Eichenberger¹ · Clemens Reisinger¹ · Anna Hirschmann¹ · Caroline Zaehringer¹ · Achim Kircher¹ · Matthias Streif¹ · Sabine Bucher¹ · David Buergler¹ · Luigia D'Errico¹ · Sebastián Kopp¹ · Markus Wilhelm¹ · Sebastian T. Schindera^{1,3}

Published online: 29 September 2017
© European Society of Radiology 2017

Erratum to: Eur Radiol
<https://doi.org/10.1007/s00330-017-4825-9>

The original version of this article, published on 3 April 2017, unfortunately contained a mistake. The following correction has therefore been made in the original:

The name of the 12th author has been corrected to Luigia D'Errico.

The online version of the original article can be found at <https://doi.org/10.1007/s00330-017-4825-9>

✉ Sebastian T. Schindera
sschindera@aol.com

¹ Clinic of Radiology and Nuclear Medicine, University Hospital Basel, Basel, Switzerland

² Institute of Radiology, Hospital Centre of Biel, Biel, Switzerland

³ Institute of Radiology, Cantonal Hospital Aarau, Aarau, Switzerland