ERRATUM

Erratum to: Pre-exposure to simultaneous, but not individual, climate-change stressors limits acclimation capacity of Irukandji jellyfish polyps to predicted climate scenarios

Shannon G. Klein^{1,2} · Kylie A. Pitt¹ · Anthony R. Carroll³

Published online: 7 June 2017
© Springer-Verlag GmbH Germany 2017

Erratum to: Coral Reefs DOI 10.1007/s00338-017-1590-9

Due to an error in the typesetting process, panels (a) and (b) of Fig. 3 present identical data. Panel (a) of Fig. 3 presents incorrect data but panel (b) presents correct data. To correct this error, we have included a corrected version of Fig. 3.

The online version of the original article can be found under doi: [10.1007/s00338-017-1590-9](https://doi.org/10.1007/s00338-017-1590-9).

✉ Shannon G. Klein
shannon.klein@kaust.edu.sa

¹ Australian Rivers Institute – Coasts and Estuaries, Griffith School of Environment, Griffith University, Gold Coast, QLD 4222, Australia

² King Abdullah University of Science and Technology (KAUST), Red Sea Research Center (RSRC), Thuwal 23955-6900, Saudi Arabia

³ Environmental Futures Research Institute, Griffith School of Environment, Griffith University, Gold Coast, QLD 4222, Australia

Fig. 3 Respiration rates of polyps (mean $\pm$ SE) pre-exposed to ambient pH (**a**) and reduced pH (**b**) conditions recorded at days 1, 4, 14, 24 and 34 of the secondary exposure (days 1–34, $n = 48$). Letters above data points indicate similarities (e.g. AA) and differences (e.g. AB) among treatments, as determined by estimated marginal means