Y.Z. PEI^{1,2}
L.D. CHEN^{1,✉}
X.Y. ZHAO¹
W.Q. ZHANG¹
X.Y. LI¹
T. GOTO³

Influence of Ir substitution on the thermoelectric properties of $\text{Ba}_{0.3}(\text{Ir}_x\text{Co}_{1-x})_4\text{Sb}_{12}$ solid solutions

¹ State Key Laboratory of High Performance Ceramics and Superfine Microstructures,
Shanghai Institute of Ceramics, Chinese Academy of Science, Shanghai 200050, P.R. China
² Graduate School of Chinese Academy of Science, Beijing 100039, P.R. China
³ Institute for Materials Research, Tohoku University, Sendai 980-8577, Japan

Published online: 9 January 2007 • © Springer-Verlag 2006

In the above article, Fig. 7a was mistakenly published with positive values of CF. Since all the samples synthesized in this paper are n-type conduction, the thermoelectric compatibility factor (CF) is negative. The corrected figure is given below.

Appl. Phys. A **85**, 451 (2006)
DOI 10.1007/s00339-006-3719-5
Published online: 26 September 2006

FIGURE 7 Temperature dependence of the absolute thermoelectric compatibility factor $|CF|$ (a) and the relative increment of ZT (b) compared with the matrix for $\text{Ba}_{0.3}(\text{Ir}_x\text{Co}_{1-x})_4\text{Sb}_{12}$