Erratum to: Titanium-nitride-oxide-coated stents multicenter registry in diabetic patients: the TIBET registry

Mariano Valdés Chavarri · Armando Bethencourt · Eduardo Pinar · Alfredo Gomez ·
Javier Fernández Portales · Francisco Pomar · Isabel Calvo · Jose Ramón López-Minguez ·
Raúl Valdesuso · José Moreu · Antonio Martínez · Wail Nammass ·

Published online: 14 June 2011
© Springer 2011

Erratum to: Heart Vessels DOI 10.1007/s00380-011-0136-2

In the article cited above, two of the authors' names appeared incorrectly in the affiliations section of the title page. The two names should be shown as follows:

M. Valdés Chavarri and J. R. López-Minguez.

The online version of the original article can be found under doi:[10.1007/s00380-011-0136-2](https://doi.org/10.1007/s00380-011-0136-2).

M. Valdés Chavarri · E. Pinar
Hospital Universitario Virgen de la Arrixaca, Murcia, Spain

A. Bethencourt · A. Gomez
Hospital Universitario Son Dureta, Palma de Mallorca, Spain

J. F. Portales
Hospital Virgen de Guadalupe, Caceres, Spain

F. Pomar
Hospital General Universitario de Valencia, Valencia, Spain

I. Calvo
Hospital Universitario Miguel Servet, Zaragoza, Spain

J. R. López-Minguez
Hospital Universitario Infanta Cristina, Badajoz, Spain

R. Valdesuso
Clinica Capiro Recoletas, Albacete, Spain

J. Moreu
Hospital Virgen de la Salud, Toledo, Spain

A. Martínez
Hospital General de Castellon, Castellon, Spain

W. Nammass (✉)
Cardiology Department, Faculty of Medicine, Ain Shams
University Hospitals, Ain Shams University, P.O. 11381,
Abbassia, Cairo, Egypt
e-mail: wnammass@hotmail.com