ERRATUM

Erratum to: Regional heatwaves in China: a cluster analysis

Pinya Wang^{1,2,3} · Jianping Tang^{1,2,3} · Shuyu Wang^{1,2,3} · Xinning Dong⁴ · Juan Fang¹

Published online: 19 August 2017
© Springer-Verlag GmbH Germany 2017

Erratum to: Clim Dyn
DOI [10.1007/s00382-017-3728-4](https://doi.org/10.1007/s00382-017-3728-4)

In the original publication of the article the figures (i.e., Fig. 2, Fig. 3, Fig. 8, Figs. 10–14) has been published incorrectly with odd black lines. Now, these black lines have been removed via this erratum article and the original article has been updated accordingly.

The online version of the original article can be found under
doi:[10.1007/s00382-017-3728-4](https://doi.org/10.1007/s00382-017-3728-4).

✉ Jianping Tang
jptang@nju.edu.cn

¹ School of Atmospheric Sciences, Nanjing University, 163
Xianlin Road, Nanjing 210023, China

² Institute for Climate and Global Change Research, Nanjing
University, Nanjing 210023, China

³ CMA-NJU Joint Laboratory for Climate Prediction Studies,
Nanjing University, Nanjing 210023, China

⁴ Chongqing Climate Center, Chongqing 401147, China

Fig. 2 **a** Daily accumulated intensity (I_d) and **b** distributions of DMTs for the most severe RHW-A from 2nd July to 11th August in 2003. The first date of each panel is attached on the bottom left

Fig. 3 The same as Fig. 2, but for the most severe RHWR from 5th to 18th in 2013

Fig. 8 Spatial patterns of the three clusters of RHWs-A, represented by the averaged daily intensity of all events included in each cluster (units: °C). The number of events in each cluster is listed on the *left top* of each panel figure (a–c)

Fig. 10 Composites of H500 (units: m; contour) and H500 anomalies (shading) for the three clusters of RHWs-A (a–c). Statistically significant areas above 95% confidence level are stippled. The black bold line indicates the 5860 m contour

Fig. 11 The same as Fig. 10, but for the seven clusters of RHWs-R

Fig. 12 The same as Fig. 10 but for the soil moisture anomalies (units: $\text{m}^3 \text{m}^{-3}$)

Fig. 13 The same as Fig. 11, but for the soil moisture anomalies (units: $\text{m}^3 \text{m}^{-3}$)

Fig. 14 Composites of daily heat wave intensity (units: $^{\circ}\text{C}$; black circles), covered by **a** the H500 (units: m; contour) and H500 anomalies (shading), and **b** the soil moisture anomalies (units: $\text{m}^3 \text{m}^{-3}$; shading)

for the 2003 RHW-A from 2nd July to 11th August. **c, d** Are same as **a** and **b** but for the 2013 RHW-R from 5th August to 18th August. The black bold contour equals to 5880 m