Erratum to: Phenotypic diversity in patients with multiple serrated polyps: a genetics clinic study

Daniel D. Buchanan · Kevin Sweet · Musa Drini · Mark A. Jenkins · Aung Ko Win · Michael Gattas · Michael D. Walsh · Mark Clendenning · Diane McKeone · Rhiannon Walters · Aedan Roberts · Alasdair Young · Heather Hampel · John L. Hopper · Jack Goldblatt · Jill George · Graeme K. Suthers · Kerry Phillips · Graeme P. Young · Elizabeth Chow · Susan Parry · Sonja Woodall · Kathy Tucker · Amanda Muir · Michael Field · Sian Greening · Steven Gallinger · Jane Green · Michael O. Woods · Renee Spaetgens · Albert de la Chapelle · Finlay Macrae · Neal I. Walker · Jeremy R. Jass · Joanne P. Young

Published online: 1 October 2010
© Springer-Verlag 2010

Erratum to: Int J Colorectal Dis DOI 10.1007/s00384-010-0907-8

The original version of this article unfortunately contained a mistake. The affiliation of Kathy Tucker and Table 3 are incorrect. The correct information is given below.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00384-010-0907-8>.

D. D. Buchanan · M. D. Walsh · M. Clendenning · D. McKeone · R. Walters · A. Roberts · J. P. Young (✉)
Familial Cancer Laboratory, QIMR,
Herston,
Brisbane Q 4006, Australia
e-mail: Joanne.Young@qimr.edu.au

D. D. Buchanan · M. D. Walsh · J. P. Young
School of Medicine, University of Queensland,
Herston,
Brisbane Q 4006, Australia

K. Sweet · H. Hampel · A. de la Chapelle
Division of Human Genetics, Ohio State University,
Columbus, OH 43221, USA

M. Drini · F. Macrae
Department of Colorectal Medicine and Genetics,
The Royal Melbourne Hospital,
Parkville,
Melbourne, VIC 3050, Australia

M. A. Jenkins · A. K. Win · J. L. Hopper
Centre for MEGA Epidemiology, School of Population Health,
University of Melbourne,
Carlton,
Melbourne, VIC 3053, Australia

M. Gattas
Queensland Clinical Genetics Service,
Royal Children's Hospital,
Herston,
Brisbane Q4029, Australia

A. Young
St Pauls School,
Strathpine Road,
Bald Hills, Queensland, Australia

J. Goldblatt · J. George
Genetic Services of Western Australia,
Subiaco,
Perth, WA 6008, Australia

J. Goldblatt
School of Paediatrics and Child Health
University of Western Australia,
Nedlands,
Perth, WA 6009, Australia

G. K. Suthers · K. Phillips
South Australian Clinical Genetics Service,
North Adelaide, SA 5009, Australia

Table 3 Univariate analyses of phenotypic features and risk factors in 126 patients

Exposure	Number/mean (SD)	Total	Percentage/range	Significance (<i>P</i> value)
Age at presentation (years)				
Females	49 (45.16)	62	19-86	0.98
Males	49 (45.76)	61	18-67	
With CRC	51(46.50)	49	18-86	0.91
Without CRC	48 (44.89)	68	19-67	
Colorectal cancer				
Females	23	59	39%	0.58
Males	26	59	44%	
CRC proximal	24	41	59%	0.04
Multiple proximal CRC	9	24	38%	
Multiple distal CRC	0	18	0%	0.12
Female CRC—proximal	13	18	72%	
Male CRC—proximal	11	23	48%	
CRC Distal				
<50 years of age	12	20	60%	0.02
≥50 years of age	4	19	22%	
Mean reported polyp number	39 (31.61)	116	5-150	0.13
With CRC	47 (36.09)	43	5-150	
Without CRC	35 (28.50)	68	5-150	0.44
Females	34 (27.76)	56	5-150	
Males	44 (34.66)	59	5-150	0.03
Age group <50 years	45 (36.53)	55	5-150	
≥50 years	34 (25.84)	59	5-129	0.008
With first degree relative with CRC	32 (25.65)	60	5-150	

G. K. Suthers
Department of Paediatrics, University of Adelaide,
Adelaide, SA 5005, Australia

G. P. Young · E. Chow
Department of Medicine, Flinders University,
Bedford Park,
Adelaide, SA 5042, Australia

S. Parry
Department of Gastroenterology, Middlemore Hospital,
Auckland, New Zealand

A. Muir · M. Field
Department of Clinical Genetics, Royal North Shore Hospital,
Sydney, NSW 2145, Australia

S. Greening
Illawarra Cancer Centre, Wollongong Hospital,
Wollongong, NSW, Australia

S. Gallinger
Samuel Lunenfeld Research Institute, Mount Sinai Hospital,
Toronto, ON, Canada

S. Gallinger
D. Zane Cohen Digestive Diseases Clinical Research Centre,
Mount Sinai Hospital,
Toronto, ON, Canada

S. Gallinger
Cancer Care Ontario,
Toronto, ON, Canada

J. Green · M. O. Woods
Discipline of Genetics, Memorial University of Newfoundland,
St. Johns, Newfoundland, Canada

R. Spaetgens
University of British Columbia and BC Cancer Agency,
Vancouver, BC, Canada

N. I. Walker
Envoi Pathology,
Herston,
Brisbane Q4006, Australia

J. R. Jass
Department of Cellular Pathology, St Mark's Hospital,
Harrow HA1 3UJ, UK

S. Woodall
Auckland City Hospital, Familial GI Cancer Registry,
Auckland, New Zealand

K. Tucker
Hereditary Cancer clinic, Prince of Wales Hospital,
Randwick, NSW 2031, Australia

Table 3 (continued)

Exposure	Number/mean (SD)	Total	Percentage/range	Significance (<i>P</i> value)
Without first degree relative with CRC	53 (41.29)	42	11-150	0.003
With any degree relative with CRC	36 (29.78)	64	5-150	
Without any degree relative with CRC	58 (36.58)	25	11-129	
Smoking				
Current	51 (37.95)	21	5-129	0.043
Not currently smoking	34 (28.41)	66	5-150	
Ever	41 (31.53)	52	5-129	0.56
Never	32 (30.52)	37	5-150	
Adenomas				
CRC	42	43	98%	0.03
Without CRC	54	67	81%	
Advanced serrated polyps				
CRC	19	28	68%	0.92
Without CRC	26	39	67%	
Females	28	38	74%	0.44
Males	21	33	64%	
<50 years of age	19	31	51%	0.31
≥50 years of age	27	37	73%	