Erratum to: Clinical assessment of a CMC/PEO gel to inhibit postoperative epidural adhesion formation after lumbar discectomy: a randomized, control study

Zhi-chen Liu · Yang Li · Yuan Zang ·
Geng Cui · Hong-xun Sang · Zhen-sheng Ma ·
Liang Kong · Wei Lei · Zi-xiang Wu

Published online: 6 April 2013
© Springer-Verlag Berlin Heidelberg 2013

Erratum to: Arch Orthop Trauma Surg (2013)
133:295–301
DOI 10.1007/s00402-012-1634-0

The author would like to correct the error in the publication of the original article. The corrected detail is given below for your reading.

The last sentence in the second paragraph of the introduction section should read as “FzioMed is the manufacturer of this gel (FzioMed, Inc. 231 Bonetti Drive, San Luis Obispo, CA 93401, USA)”.

The online version of the original article can be found under doi:[10.1007/s00402-012-1634-0](https://doi.org/10.1007/s00402-012-1634-0).

Z. Liu · Y. Li · Y. Zang · H. Sang · Z. Ma · W. Lei (✉) ·
Z. Wu (✉)

Institute of Orthopaedics, Xijing Hospital,
The Fourth Military Medical University, No. 17 Changlexi
Road, Xi'an 710032, Shanxi, People's Republic of China
e-mail: leiwei@fmmu.edu.cn

Z. Wu
e-mail: wuzixiang@fmmu.edu.cn

Z. Liu
e-mail: jacklitt218@126.com

Y. Li
e-mail: yanglee.112@163.com

Y. Zang
e-mail: yuanzang@fmmu.edu.cn

H. Sang
e-mail: sanghx@fmmu.edu.cn

Z. Ma
e-mail: mazhensheng@fmmu.edu.cn

G. Cui
Institute of Orthopaedics, the General Hospital of P.L.A.,
Beijing 100000, People's Republic of China
e-mail: gengcui@163.com

L. Kong
Department of Implantology, School of Stomatology,
The Fourth Military Medical University, Changlexi Road No.
17, Xi'an 710072, People's Republic of China
e-mail: kongliang@fmmu.edu.cn