A heavily pretreated patient with recurrent clear cell adenocarcinoma of the ovary in whom carcinomatous peritonitis was controlled successfully by salvage therapy with gemcitabine

**Shin-ichi Komiyama · Masaru Nakamura ·
Isao Murakami · Yoshiko Kuwabara · Takashi Kurahashi ·
Kyoko Tanaka · Mikio Mikami**

Published online: 5 December 2008
© Springer-Verlag 2008

**Erratum to: Arch Gynecol Obstet (2008) 278:565–568
DOI 10.1007/s00404-007-0396-3**

Unfortunately, first name of the corresponding author name was published incorrect in the online and print version of the article. Instead of “Shin Komiyama, it should read as “Shin-ichi Komiyama”.

The online version of the original article can be found under
doi: [10.1007/s00404-007-0396-3](https://doi.org/10.1007/s00404-007-0396-3).

S. Komiyama (✉)
Department of Obstetrics and Gynecology,
Fujita Health University School of Medicine,
Toyoake, 470-1192 Aichi, Japan
e-mail: komiyama@fujita-hu.ac.jp

S. Komiyama · M. Nakamura · I. Murakami · Y. Kuwabara ·
T. Kurahashi · K. Tanaka · M. Mikami
Department of Obstetrics and Gynecology,
National Saitama Hospital, Saitama, Japan

M. Mikami
Department of Obstetrics and Gynecology,
Tokai University School of Medicine, Kanagawa, Japan