Erratum to: Heparanase expression in term placentas of diabetic patients and healthy controls

Doerte W. Luedders · Diana Bundschuh ·
Amadeus Hornemann · Jana-Christin Hoerster ·
Philipp Boemicke · Frank Köster · Michael K. Bohlmann

Published online: 28 October 2010
© Springer-Verlag 2010

Erratum to: Arch Gynecol Obstet DOI 10.1007/s00404-010-1636-5

The authors regret that a typographic mistake occurred in the “Materials and methods” section of online published article. Instead of

“According to our prior analysis (N-Query advisor, Statcon, Witzenhausen, Germany), 33 patients in each arm of the study were needed in order to achieve a power of 80% with an $\alpha = 0.05$.”

The correct sentence is

“According to our prior analysis (N-Query advisor, Statcon, Witzenhausen, Germany), **30** patients in each arm of the study were needed in order to achieve a power of 80% with an $\alpha = 0.05$.”

The online version of the original article can be found under
doi:[10.1007/s00404-010-1636-5](https://doi.org/10.1007/s00404-010-1636-5).

D. W. Luedders · D. Bundschuh · J.-C. Hoerster ·
P. Boemicke · F. Köster · M. K. Bohlmann (✉)
Department of Obstetrics and Gynecology,
University Hospital of Schleswig-Holstein, Campus Luebeck,
Ratzeburger Allee 160, 23538 Lübeck, Germany
e-mail: michael.bohlmann@uk-sh.de

A. Hornemann
Department of Obstetrics and Gynecology,
University Hospital Mannheim, University of Heidelberg,
68167 Mannheim, Germany