ERRATUM

Erratum to: Open questions and novel concepts in oral cancer surgery

Giancarlo Tirelli¹ · Serena Zacchigna² · Matteo Biasotto³ · Marco Piovesana¹

Published online: 2 July 2015
© Springer-Verlag Berlin Heidelberg 2015

Erratum to: Eur Arch Otorhinolaryngol DOI 10.1007/s00405-015-3655-0

The original version of this article unfortunately contained a mistake. Figures 1 and 2 were interchanged. The correct version of the figures is given below. The original article has been amended accordingly.

The online version of the original article can be found under doi:[10.1007/s00405-015-3655-0](https://doi.org/10.1007/s00405-015-3655-0).

✉ Marco Piovesana
marcopiovesana81@gmail.com

¹ Division of Otolaryngology and Head and Neck Surgery, Cattinara Hospital, University of Trieste, Trieste, Italy

² Molecular Medicine, International Centre for Genetic Engineering and Biotechnology (ICGEB), Trieste, Italy

³ School of Dental Sciences, University of Trieste, Trieste, Italy

Fig. 1 In an attempt to achieve clear margins, while resecting OSCCs with a similar superficial extension, the surgeon might face the following paradigmatic situations: **a** incomplete resection despite all intraoperative frozen sections being free from disease; **b** complete

resection with all intraoperative frozen sections free from disease; **c** incomplete resection despite lateral extension of the resection line due to positive intraoperative frozen sections

Fig. 2 Potential surgical approach using in vivo monitoring of the tumor invasion pattern. We can observe a remarkable sparing of uninvolved tissue