ERRATUM

Erratum to: Dynamic monitoring of $G_{i/o}$ -protein-mediated decreases of intracellular cAMP by FRET-based Epac sensors

Ursula Storch¹ · Julie Straub¹ · Serap Erdogan¹ · Thomas Gudermann^{1,2,3} · Michael Mederos y Schnitzler^{1,2}

Published online: 4 May 2017
© Springer-Verlag Berlin Heidelberg 2017

Erratum to: Pflügers Arch - Eur J Physiol (2017)
DOI:10.1007/s00424-017-1975-1

In Figure 3F and 4E (left panels) showing representative FRET measurements of μ receptor and H187 expressing HEK293 cells, the colors of the individual fluorescence traces are interchanged by mistake. In the published figures, the cyan traces show tandem cp173Venus fluorescence and the yellow traces show mTurquoise2 fluorescence. The corrected figures with the proper color assignment are displayed below.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00424-017-1975-1>

✉ Michael Mederos y Schnitzler
mederos@lrz.uni-muenchen.de

- ¹ Walther Straub Institute of Pharmacology and Toxicology, Ludwig Maximilians University of Munich, Goethestr. 33, 80336 Munich, Germany
- ² DZHK (German Centre for Cardiovascular Research), Munich Heart Alliance, Munich, Germany
- ³ Comprehensive Pneumology Center Munich (CPC-M), German Center for Lung Research, Munich, Germany

Figure 3

f

mTq2-Epac-cpVcpV
(H187) μ receptor

Figure 4

e

mTq2-Epac-cpVcpV
(H187) μ receptor