The post-embryonic development of Remipedia (Crustacea)— additional results and new insights

**Stefan Koenemann · Jørgen Olesen · Frederike Alwes ·
Thomas M. Iliffe · Mario Hoenemann · Petra Ungerer ·
Carsten Wolff · Gerhard Scholtz**

Published online: 31 March 2009
© Springer-Verlag 2009

Erratum to: Dev Genes Evol (2009) 219:131–145
DOI 10.1007/s00427-009-0273-0

Unfortunately the original publication contained errors.

All numerical values that specify larval size ranges in μm are to be multiplied by 10 (e.g., 1660 μm instead of 166 μm).

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00427-009-0273-0>.

S. Koenemann · M. Hoenemann
Institute for Animal Ecology and Cell Biology,
University of Veterinary Medicine Hannover,
Bünteweg 17d,
30559 Hannover, Germany

J. Olesen
Natural History Museum of Denmark, Copenhagen University,
Universitetsparken 15,
2100 Copenhagen, Denmark

F. Alwes · P. Ungerer · C. Wolff · G. Scholtz (✉)
Institut für Biologie/Vergleichende Zoologie,
Humboldt-Universität zu Berlin,
Philippstraße 13,
10115 Berlin, Germany
e-mail: gerhard.scholtz@rz.hu-berlin.de

T. M. Iliffe
Department of Marine Biology,
Texas A&M University at Galveston,
Galveston, TX 77553-1675, USA