Differential response to interferon- γ therapy in a family with dominant negative partial interferon- γ receptor1 deficiency

Anita E. Smyth • Paul Jackson • David Lammas •
M. Suhail Asghar • Alistair D. Crockard •
Jean-Laurent Casanova • Dinakantha S. Kumararatne •
J. David M. Edgar

Published online: 8 September 2006
© Springer-Verlag 2006

The online version of the original article can be found at: <http://dx.doi.org/10.1007/s00431-005-1739-3>.

A. E. Smyth
Department of Rheumatology, The Ulster Hospital,
Belfast, UK

P. Jackson
The Royal Belfast Hospital for Sick Children,
Belfast, UK

D. Lammas
Department of Immunity and Infection, The Medical School,
University of Birmingham,
Birmingham, UK

M. S. Asghar • A. D. Crockard • J. D. M. Edgar
Regional Immunology Service, The Royal Hospitals,
Belfast, UK

J.-L. Casanova
Unité d'Immunologie et d'Hématologie Pédiatriques,
Laboratoire de Génétique Humaine des Maladies Infectieuses,
Faculté de Médecine Necker-Enfants Malades,
Paris, France

D. S. Kumararatne
Department of Clinical Biochemistry and Immunology,
Addenbrookes Hospital,
Cambridge, UK

Present address:

J. D. M. Edgar (✉)
Regional Immunology Service, The Royal Hospitals,
Grosvenor Road,
BT12 6BN Belfast, UK
e-mail: david.edgar@bll.n-i.nhs.uk

Unfortunately, an error occurred in Fig. 1. The corrected figure is given below.