CORRECTION

Correction to: The antidepressant effect of musk in an animal model of depression: a histopathological study

Nasra Naeim Ayuob^{1,2} • Soad Shaker Ali¹ • Mansour Suliaman³ •
Manal Galal Abd El Wahab^{4,5} • Samra Mansour Ahmed⁶

Published online: 23 November 2017
© Springer-Verlag GmbH Germany, part of Springer Nature 2017

Correction to: Cell Tissue Res (2016) 366:271–284
<https://doi.org/10.1007/s00441-016-2468-9>

The original publication of this paper contains mistake. Below you will find the needed corrections:

The online version of the original article can be found at <https://doi.org/10.1007/s00441-016-2468-9>

✉ Nasra Naeim Ayuob
nasraayuob@gmail.com; nayuob@kau.edu.sa

- ¹ Department of Anatomy, Faculty of Medicine, King Abdulaziz University, Jeddah, Saudi Arabia
- ² Histology Department, Faculty of Medicine, Mansoura University, Mansoura, Egypt
- ³ Pharmacology Department, Faculty of Medicine, King Abdulaziz University, Jeddah, Saudi Arabia
- ⁴ Anatomy Department, Faculty of Medicine for girls, Al-Azhar University, Cairo, Egypt
- ⁵ Faculty of Nurses, National Gard, King Saud University, Jeddah, Saudi Arabia
- ⁶ Medicine Department, Faculty of Medicine, King Abdulaziz University, Jeddah, Saudi Arabia

List of corrections

Site	Correction needed
Page: 275 Column: left Paragraph: 2nd Line: 1st in the paragraph	CUMS significantly decreased ($p < 0.001$) the serum testosterone level...
Page: 279 Column: Paragraph: fig. 6 legend Line:	Fig. 6 Quantitative assessment of immunoexpression of GFAP (a), caspase-3 (b), Ki67 (c), BDNF (d) and GR (e) in the hippocampus of the studied groups. Data of GFAP, caspase-3, Ki67 expression are expressed as mean $\pm$ SD and that of BDNF and GR is expressed as mean percent of control value $\pm$ SD. #p significance versus control, *p significance versus CUMS. CUMS chronic unpredictable mild stress; FLU fluoxetine; M musk. (ANOVA followed by a Bonferroni post hoc test)
Page: 280 Column: Paragraph: fig. 7 legend Line:	Fig. 7 BDNF mRNA (a) and GRm RNA (c) expression levels in the hippocampus of the studied groups assessed by quantitative RT-PCR. Data are expressed as mean $\pm$ SD ($n = 10$). BDNF protein (b) and GR protein (d) expression levels in the hippocampus assessed by ELISA and expressed as percent of control value $\pm$ SD. #p significance versus control, *p significance versus CUMS. CUMS chronic unpredictable mild stress; FLU fluoxetine; M musk (ANOVA followed by a Bonferroni post hoc test)
Page: 281 Column: Paragraph: fig. 8 legend Line:	Fig. 8 Immunoexpression of GFAP (a–d), caspase-3 (e–h), Ki67 (i–l), BDNF (m–p) and GR (q–t) in the dentate gyrus of the hippocampus of the studied groups (a–l $\times 600$, m–t $\times 400$, insets $\times 1000$). CUMS chronic unpredictable mild stress; FLU fluoxetine; M musk