Transoral diverticulostomy with a modified Endo-Gia stapler: results after 4 years of experience

R. A. Lang · F. W. Spelsberg · H. Winter ·
K.-W. Jauch · T. P. Hüttl

Published online: 22 June 2007
© Springer Science+Business Media, LLC 2007

Erratum to: Surg Endosc
DOI 10.1007/s00464-006-9036-4

Figures 3 and 4 of this article (Surgical Endoscopy, Vol. 21, No. 4, April 2007, pp. 532–536) were published erroneously. The correct figures are displayed below. Springer regrets the error.

The online version of the original article can be found under doi:[10.1007/s00464-006-9036-4](https://doi.org/10.1007/s00464-006-9036-4)

R. A. Lang (✉) · F. W. Spelsberg · H. Winter ·
K.-W. Jauch · T. P. Hüttl
Chirurgische Klinik und Poliklinik der Ludwig-Maximilians-
Universität, Klinikum Großhadern, Marchioninistrasse 15,
81377 München, Germany
e-mail: Reinhold.Lang@med.uni-muenchen.de

F. W. Spelsberg
e-mail: Fritz.Spelsberg@med.uni-muenchen.de

H. Winter
e-mail: Hauke.Winter@med.uni-muenchen.de

K.-W. Jauch
e-mail: Karl.Jauch@med.uni-muenchen.de

T. P. Hüttl
e-mail: Thomas.Huetttl@med.uni-muenchen.de

Fig. 3 Modified stapler with shortened counterpressure plate for the transoral diverticulostomy

Fig. 4 Stapler anastomosis using a modified Endo-Gia stapler with shortened anvil