Fundoplication for gastroesophageal reflux and factors associated with the outcome 6 to 10 years after the operation: multivariate analysis of prognostic factors using the propensity score

**J. Hafez · F. Wrba · J. Lenglinger ·
J. Miholic**

Published online: 20 August 2008
© Springer Science+Business Media, LLC 2008

**Erratum to: Surg Endosc (2008) 22(8):1763–1768
DOI 10.1007/s00464-008-9872-5**

In Volume 22, Number 8, page 1765, lines 5–7, the sentence
“An intestinal metaplasia was defined by the presence of

Alcian blue-stained goblet cells in the esophageal squamous epithelial tissue.” should be changed to “An intestinal metaplasia was defined by the presence of Alcian blue-stained goblet cells in the columnar lined esophageal mucosa.”

The online version of the original article can be found under
doi:[10.1007/s00464-008-9872-5](https://doi.org/10.1007/s00464-008-9872-5).

J. Hafez (✉) · J. Lenglinger · J. Miholic
Department of Surgery, Medical University Vienna, Vienna,
Austria
e-mail: johannes.miholic@meduniwien.ac.at;
Joumanah.Hafez@drv-bund.de

F. Wrba
Department of Pathology, Medical University Vienna, Vienna,
Austria