Erratum to: Is endoscopic closure with clips effective for both diagnostic and therapeutic colonoscopy-associated bowel perforation?

**Dong-Hoon Yang · Jeong-Sik Byeon · Kyung-Hoon Lee ·
Soon Man Yoon · Kyung Jo Kim · Byong Duk Ye ·
Seung-Jae Myung · Suk-Kyun Yang · Jin-Ho Kim**

Published online: 17 April 2010
© Springer Science+Business Media, LLC 2010

Erratum to: Surg Endosc
DOI 10.1007/s00464-009-0746-2

On page 4, line 9, the phrase "... procedures and 25 (0.22%) during or after..." should be changed to "... procedures and 25 (0.209%) during or after...".

The online version of the original article can be found under
doi:[10.1007/s00464-009-0746-2](https://doi.org/10.1007/s00464-009-0746-2).

D.-H. Yang · J.-S. Byeon (✉) · K.-H. Lee ·
S. M. Yoon · K. J. Kim · B. D. Ye · S.-J. Myung ·
S.-K. Yang · J.-H. Kim
Department of Internal Medicine, University of Ulsan College
of Medicine, Asan Medical Center, 388-1, Pungnap-2dong,
Songpa-gu, Seoul 138-736, Korea
e-mail: jsbyeon@amc.seoul.kr