ERRATUM

Erratum to: Radiofrequency versus ultrasonic energy in laparoscopic colorectal surgery: a metaanalysis of operative time and blood loss

Nicola Di Lorenzo · Luana Franceschilli ·
Marco Ettore Allaix · Anastasios Asimakopoulos ·
Pierpaolo Sileri · Achille L. Gaspari

Published online: 14 December 2012
© Springer Science+Business Media New York 2012

Erratum to: Surg Endosc (2012) 26:2917–2924
DOI 10.1007/s00464-012-2285-5

The first author's name was misspelled as N. D. Lorenzo.
The correct spelling is N. Di Lorenzo.

The online version of the original article can be found under
doi:[10.1007/s00464-012-2285-5](https://doi.org/10.1007/s00464-012-2285-5).

N. Di Lorenzo (✉) · L. Franceschilli · P. Sileri · A. L. Gaspari
Department of Surgical Sciences, University of Rome Tor
Vergata, Policlinico Tor Vergata, Viale Oxford 81,
00133 Rome, Italy
e-mail: Nicola.di.lorenzo@uniroma2.it

L. Franceschilli
e-mail: luana.franceschilli@virgilio.it

N. Di Lorenzo · L. Franceschilli · M. E. Allaix ·
A. Asimakopoulos · P. Sileri · A. L. Gaspari
Biotechnologies and Techniques Applied to Surgical Sciences,
University of Rome, Tor Vergata, Italy

M. E. Allaix
Department of Digestive Surgery and Centre for Minimally
Invasive Surgery, University of Turin, Turin, Italy

A. Asimakopoulos
Division of Urology, Department of Surgical Sciences,
University of Rome, Tor Vergata, Italy