ERRATUM

Erratum to: Randomized clinical trial of fibrin glue versus tacked fixation in laparoscopic groin hernia repair

Mette A. Tolver · Jacob Rosenberg ·
Poul Juul · Thue Bisgaard

Published online: 15 June 2013
© Springer Science+Business Media New York 2013

Erratum to: Surg Endosc
DOI 10.1007/s00464-012-2766-6

In the Introduction section there is a misprint in the first line. “Use of a traumatic fixation devices, such as fibrin glue...” should be changed to “Use of atraumatic fixation devices, such as fibrin glue...”

In the Results section there is a misprint regarding the outcome “Incidence of foreign-body sensation” at 6 month. It says in the paper that there is no difference between groups (1 vs. 9 patients) $p = 0.616$. However, the correct number is (9 vs. 12 patients).

The online version of the original article can be found under
doi:[10.1007/s00464-012-2766-6](https://doi.org/10.1007/s00464-012-2766-6).

M. A. Tolver (✉) · T. Bisgaard
Department of Surgery, Køge Hospital, University
of Copenhagen, Lykkebækvej 1, 4600 Copenhagen, Denmark
e-mail: mette.astrup@gmail.com

J. Rosenberg
Department of Surgery, Herlev Hospital, University
of Copenhagen, Herlev Ringvej 75, 2730 Copenhagen, Denmark

P. Juul
Private Hospital Aleris-Hamlet, Gyngemose Parkvej 66,
2860 Gladsaxe, Søborg, Denmark