

Impact of skeletal complications on patients' quality of life, mobility, and functional independence

Luis Costa · Xavier Badia · Edward Chow ·
Allan Lipton · Andrew Wardley

Published online: 15 August 2008
© Springer-Verlag 2008

Erratum to: Support Care Cancer DOI 10.1007/s00520-008-0418-0

Table 2 in this paper was published in error. This questionnaire is still in development, and has not been approved

The online version of the original article can be found at: <http://dx.doi.org/10.1007/s00520-008-0418-0>.

L. Costa (✉)
Instituto de Medicina Molecular-Lisboa, Servico de Oncologia,
Hospital de Santa Maria,
Av Professor Egaz Moniz,
Lisbon 1649-039, Portugal
e-mail: luiscosta.p@netcabo.pt

X. Badia
Health Economics and Outcomes Research,
Doctor Ferran 25, 2,
Barcelona 08034, Spain

E. Chow
Radiation Oncology,
Toronto-Sunnybrook Regional Cancer Centre,
2075 Bayview Ave.,
Toronto, ON M4N 3M5, Canada

A. Lipton
Milton S. Hershey Medical Center, Pennsylvania State University,
500 University Drive,
Hershey, PA 17033, USA

A. Wardley
Cancer Research Department of Medical Oncology,
Christie Hospital NHS Foundation Trust,
550 Wilmslow Road,
Manchester M20 4BX, UK

by the Quality of life Group of the EORTC. The published Table shows a provisional questionnaire which has not yet been validated, and which may be subject to change before approval for use in clinical studies.

Table 2 Issues included in the bone metastases quality of life questionnaire

- Location of pain in the:
- 1) back
 - 2) leg(s) or hip(s)
 - 3) arm(s) or shoulder(s)
 - 4) chest or ribs
 - 5) buttocks
- Pain issues
- 6) constant pain
 - 7) intermittent pain
 - 8) pain not relieved by medications
 - 9) pain while lying down
 - 10) pain while sitting
 - 11) pain when trying to stand up
 - 12) pain while walking
 - 13) pain with activities such as bending or climbing stairs
 - 14) pain with strenuous activity
 - 15) pain interfered with your sleeping
- Other issues
- 16) modify your daily activities
 - 17) felt isolated from those close to you
 - 18) worried about loss of mobility
 - 19) worried about becoming dependent on others
 - 20) worried about your health in the future
 - 21) felt hopeful your pain will get better
 - 22) felt positive about your health