H. Hüneke

Palaeogeography and tectonic structure of allochthonous units in the German part of the Rhenohercynian Belt: revision and comment

Published online: 23 August 2005
© Springer-Verlag 2005

International Journal of Earth Sciences DOI: 10.1007/s00531-005-0512-1

In the original article Table 2 was unfortunately incorrect. The correct version is shown here.

Table 2

Stratigraphy of sampled sediments	Clausthal-Kulm-Zone (parautochthonous area)	Acker-Bruchberg-Zug (part of the Ueberthal-Gommern-Unit)	Sieber Zone	Blankenburg Zone (and northern edge of the Harz)	Tanne Zone	Harzgerode Zone	Südharz-Selke-Unit (part of the Gießen-Eastharz-Nappe)
Visean	376 ^{Hg152}	454 ^{Hg160} 425 ^{Hg51}	411 ^{Hg50} ↓?		393 ^{Hg242} ↓?		
Tournaisian			386 ^{Hg122}			396 ^{Hg167}	
Famennian		415 ^{Hg52}					387 ^{Hg220} 428 ^{Hg219}
Frasnian				414 ^{Hg212} ↓?			572 ^{Hg166} ↓?
Givetian				437 ^{Hg213}			
Eifelian				412 ^{Hg216}		579 ^{Hg210} ↓?	
Emsian				422 ^{Hg215} ↑? (501 ^{Hg189}) 563 ^{Hg236} 575 ^{Hg235} ↓↑? (610 ^{Hg227}) ↓?			
Pragian							
Lochkovian							
Ordovician				(582 ^{Hg225}) ↑?			

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00531-005-0512-1>

H. Hüneke (✉)
Institut für Geographie und Geologie, Universität Greifswald,
Jahn-Strasse 17a, 17487 Greifswald, Germany
E-mail: hueeneke@uni-greifswald.de
Tel.: +49-3834-864567
Fax: +49-3834-864572