Erratum to: Rift to post-rift evolution of a “passive” continental margin: the Ponta Grossa Arch, SE Brazil

A. O. B. Franco-Magalhaes · P. C. Hackspacher ·
U. A. Glasmacher · A. R. Saad

Published online: 27 July 2010
© Springer-Verlag 2010

Erratum to: Int J Earth Sci (Geol Rundsch)
DOI 10.1007/s00531-010-0556-8

Unfortunately, an error occurred in Table 1. The correct table is given below:

The online version of the original article can be found under
doi:[10.1007/s00531-010-0556-8](https://doi.org/10.1007/s00531-010-0556-8).

P. C. Hackspacher · A. R. Saad
Institute of Geosciences and Exact Sciences,
Universidade Estadual Paulista, Unesp,
Rio Claro/SP 13506-900, Brazil

U. A. Glasmacher
Institute of Earth Sciences, Research Group Thermochronology
and Archeometry, Heidelberg University, INF 234,
69120 Heidelberg, Germany

A. R. Saad
Universidade de Guarulhos, Rua Dr. Nilo Peçanha, 81,
Guarulhos/SP, Brazil

A. O. B. Franco-Magalhaes (✉)
Nucleus of Chronometry and Chronology,
Department of Petrology and Metallogeny,
Institute of Geosciences and Earth Sciences,
Unesp, Univ Estadual Paulista, Av. 24-A,
1515, Rio Claro/SP, Brazil
e-mail: aobf@rc.unesp.br

Table 1 Description of samples for apatite fission-track analysis and summary of FT-data

S. no.	Elev (m.a. s.l)	Strat. Ages	Coord.	Irrad. No. (U-glass)	$\rho_d \pm 1 \sigma$	$R_U \times 10^{-9}$	n	U ($\mu\text{g/g}$)	ρ_s (Ns)	ρ_t (Ni)	Age (Ma)	M.T.L. (μm) (n)
<i>NE-group (NE of Curitiba)</i>												
TF-625	1075	Carb.	40°44' W 24°14' S	I180504a (CN1)	14.06 $\pm$ 0.03	9.59 $\pm$ 0.33	4	14.7	5.366 (22)	5.122 (21)	49.50 $\pm$ 10.35	–
sd.												
TF-621	1145	Neop.	49°37' W	I051104a (IRMM)	3.35 $\pm$ 0.05	6.63 $\pm$ 0.27	15	17.7	0.054 (75)	0.065 (92)	21.11 $\pm$ 1.39	10.9 $\pm$ 0.2 (19)
gr.			24°20' S	I101204a (IRMM)	6.51 $\pm$ 0.23	4.44 $\pm$ 0.21	16		5.42 (77)	6.24 (93)		
TF-620	1027	E.C.	49°37' W	I180504b (CN2)	4.41 $\pm$ 0.44	10.58 $\pm$ 0.25	3	22	6.52 (24)	10.48 (39)	22.88 $\pm$ 1.83	11.9 $\pm$ 0.8 (3)
db.			24°22' S	I101204a (IRMM)	6.51 $\pm$ 0.23	4.44 $\pm$ 0.21	5		1.87 (44)	1.68 (38)		
TF-619	1048	Neop.	49°31' W	I180504b (CN5)	4.41 $\pm$ 0.44	10.5 $\pm$ 0.25	42	9.4	3.22 (499)	3.51 (555)	53.46 $\pm$ 1.39	11.4 $\pm$ 0.4 (17)
gr.			24°26' S									
TF-1007	718	Neop.	48°58' W	I160307 (IRMM)	5.33 $\pm$ 0.52	9.95 $\pm$ 0.39	79	13.1	5.28 (1258)	3.19 (818)	66.24 $\pm$ 1.32	10.5 $\pm$ 0.4 (38)
gr.			24°33' S									
TF-934	890	Neop.	49°02' W	I221106a (IRMM)	3.74 $\pm$ 0.53	6.98 $\pm$ 0.28	28	40.4	5.8 (161)	9.91 (199)	16.37 $\pm$ 1.00	11.3 $\pm$ 0.3 (19)
s-gr.			24°47' S									
TF-933	903	E.C.	49°05' W	I221106a (IRMM)	3.74 $\pm$ 0.53	6.98 $\pm$ 0.28	40	43.2	4.59 (155)	10.6 (370)	16.95 $\pm$ 1.05	11.0 $\pm$ 0.6 (3)
sy.			24°55' S									
TF-785	1075	Neop.	49°52' W	I130905a (CN1)	9.80 $\pm$ 0.10	6.68 $\pm$ 0.21	10	0.14	19.11 (84)	22.91 (100)	13.85 $\pm$ 1.43	11.1 $\pm$ 0.3 (11)
gr.			24°27' S									
TF-1000	814	Neop.	48°37' W	I280408 (CN5)	4.9 $\pm$ 0.044	11.98 $\pm$ 0.37	49	19.54	(231)	(284)	52.8 $\pm$ 4.42	11.03 $\pm$ 0.32 (16)
gr.			24°17' S									
TF-566	605	Carb.	49°17' W	I051104a (IRMM)	3.35 $\pm$ 0.05	6.63 $\pm$ 0.27	4	15.97	3.61 (30)	3.72 (48)	26.23 $\pm$ 2.7	10.67 $\pm$ 0.33 (3)
sd.			25°19' S									
TF-623	969	Devon.	49°43' W	I180504b (CN2)	4.41 $\pm$ 0.44	10.58 $\pm$ 0.25	5	10.04	4.57 (59)	3.87 (50)	73.9 $\pm$ 4.2	–
sd.			24°15' S									
<i>SW-group (Curitiba and NW)</i>												
TF-1073	1008	Neop.	49°53' W	I280408 (CN5)	4.99 $\pm$ 0.044	11.98 $\pm$ 0.37	63	30.5	6.19 (296)	10.27 (500)	33.17 $\pm$.63	11.4 $\pm$ 0.3 (15)
gr.			24°50' S									
TF-1072	590	Neop.	49°43' W	I280408 (CN5)	4.99 $\pm$ 0.04	11.98 $\pm$ 0.37	54	38.7	12.02 (439)	16.56 (612)	48.71 $\pm$.54	11.9 $\pm$ 0.2 (26)
gr.			25°01' S									
TF-1070	871	Neop.	49°40' W	I280408 (CN5)	4.99 $\pm$ 0.04	11.98 $\pm$ 0.37	27	16	5.97 (116)	6.72 (144)	46.80 $\pm$ 3.95	11.7 $\pm$ 0.3 (32)
gr.			25°08' S									
TF-1069	670	Neop.	49°37' W	I280408 (CN5)	4.99 $\pm$ 0.04	11.98 $\pm$ 0.37	51	14.7	6.01 (277)	6.29 (294)	52.3 $\pm$ 2.95	11.5 $\pm$ 0.3 (17)
gr.			25°11' S									
TF-1068	845	Neop.	49°38' W	I280408 (CN5)	4.99 $\pm$ 0.04	11.98 $\pm$ 0.37	37	12.6	4.41 (203)	5.37 (262)	47.45 $\pm$ 2.72	12.1 $\pm$ 0.3 (11)
a-gr.			25°12' S									

Table 1 continued

S. no.	Elev (m.a. s.l.)	Strat.	Ages	Coord.	Irrad. No. (U-glass)	$\rho_d \pm 1 \sigma$	$R_U \times 10^{-9}$	n	U ($\mu\text{g/g}$)	ρ_s (Ns)	ρ_i (Ni)	Age (Ma)	M.T.L. (μm) (n)
TF-1065	812	Neop.		49°43' W	I280408 (CN5)	4.99 ± 0.04	11.98 ± 0.37	38	18.7	6.22 (139)	8.18 (182)	49.16 ± 3.88	11.5 ± 0.2 (34)
gr.				25°01' S									
TF-1061	924	Neop.		49°26' W	I280408 (CN5)	4.99 ± 0.04	11.98 ± 0.37	25	68.2	23.3 (220)	28.7 (270)	49.80 ± 2.43	12.1 ± 0.2 (23)
gr.				25°25' S									
TF-929	1030	Neop.		49°37' W	I221106a (IRMM)	3.74 ± 0.53	6.98 ± 0.28	77	25.4	4.11 (343)	6.22 (533)	21.52 ± 1.02	11.1 ± 0.2 (44)
gr.				25°27' S									
TF 930	920	Neop.		49°17' W	I221106a (IRMM)	3.74 ± 0.53	6.98 ± 0.28	3	47.5	20.24 (17)	116.45 (107)	5.90 ± 0.81	11.4 ± 0.3 (3)
gn.				25°19' S									
TF-798b	780	Perm.		49°45' W	I130905a (CN1)	9.8 ± 0.104	6.68 ± 0.21	5	11.35	(36)	(28)	58.91 ± 7.95	–
sd.				24°51' S									

S. no. sample number, *n* number of counted apatite grains, ρ_s density of spontaneous tracks ($\times 10^5/\text{cm}^2$), N_s number of spontaneous tracks ($\times 10^5/\text{cm}^2$), N_i number of induced tracks, ρ_d density of induced tracks ($\times 10^5/\text{cm}^2$) counted on mica of U-glass. Ages (49.5 ± 10.35) are calculated as weighed ages. *sd.* sandstone, *gr.* granite, *s-gr.* Syeno-granite, *a-gr.* Alkali-granite, *gn* gneiss, *sy.* syenite, *db.* diabase, *Neop.* Neoproterozoic, *Carb.* Carboniferous, *E.C.* Early Cretaceous. Elevation in m above sea level (m a.s.l.)