Erratum to: Amplitude-oriented exercise in Parkinson's disease: a randomized study comparing LSVT-BIG and a short training protocol

Georg Ebersbach · Ute Grust · Almut Ebersbach ·
Brigitte Wegner · Florin Gandor · Andrea A. Kühn

Published online: 3 July 2014
© Springer-Verlag Wien 2014

Erratum to: J Neural Transm
DOI 10.1007/s00702-014-1245-8

In the online version of the original article, Fig. 1 was incorrect. The correct version is given below.

Fig. 1 Patients clinical global impression of change from baseline to week 16 (in percent). *LSVT-BIG* standard protocol, *AOT-SP* amplitude oriented training short protocol

The online version of the original article can be found under
doi:[10.1007/s00702-014-1245-8](https://doi.org/10.1007/s00702-014-1245-8).

G. Ebersbach (✉) · U. Grust · A. Ebersbach · F. Gandor
Fachkrankenhaus für Bewegungsstörungen/Parkinson,
Paracelsusring 6a, 14547 Beelitz-Heilstätten, Germany
e-mail: ebersbach@parkinson-beelitz.de

B. Wegner
Institute of Medical Biometrics and Clinical Epidemiology,
Charité University Medicine, Berlin, Germany

A. A. Kühn
Department of Neurology, Charité University Medicine Berlin,
Campus Virchow, Berlin, Germany