Erratum to: Modeling the photosynthetically active radiation in South West Amazonia under all sky conditions

Leonardo J. G. Aguiar · Graciela R. Fischer ·
Richard J. Ladle · Ana C. M. Malhado ·
Flávio B. Justino · Renata G. Aguiar ·
José Maria N. da Costa

Published online: 14 March 2012
© Springer-Verlag 2012

Erratum to: Theor Appl Climatol
DOI 10.1007/s00704-011-0556-z

In the original paper the coefficients of the linear regressions in Tables 1 and 2 were not placed in the correct order. The correct ones are as follows:

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00704-011-0556-z>.

L. J. G. Aguiar (✉) · G. R. Fischer · F. B. Justino ·
J. M. N. da Costa
Department of Agricultural and Environmental Engineering,
Federal University of Vicosa,
Av. P. H. Rolfs,
Vicosa, Minas Gerais, Brazil 36570-000
e-mail: veraneiro@yahoo.com.br

R. J. Ladle · A. C. M. Malhado
Institute of Biological and Health Sciences,
Federal University of Alagoas,
Maceió, Alagoas, Brazil

R. J. Ladle
School of Geography and the Environment, University of Oxford,
Oxford, UK

R. G. Aguiar
Department of Environmental Engineering,
Federal University of Rondonia,
Ji-Parana, Rondonia, Brazil

1. Table 1 should read:

Table 1

Period	Model	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	R^2	<i>N</i>
Pasture							
Wet season	Mod. 1	0.474	0.283			0.999	2171
	Mod. 2	0.478	−5.547	1.146		0.999	2167
	Mod. 3	0.478	−6.088	−0.385	11.196	0.999	2167
Wet-dry season	Mod. 1	0.467	−0.818			0.998	2094
	Mod. 2	0.471	−6.911	1.336		0.998	2079
	Mod. 3	0.470	−6.511	0.246	−4.534	0.998	2079
Dry season	Mod. 1	0.449	−4.192			0.993	2208
	Mod. 2	0.445	7.669	−6.633		0.993	2197
	Mod. 3	0.444	10.533	0.339	−14.164	0.994	2197
Dry-wet season	Mod. 1	0.464	−1.160			0.998	1954
	Mod. 2	0.480	−27.641	3.904		0.998	1954
	Mod. 3	0.480	−27.739	−0.127	7.102	0.998	1954
Annual	Mod. 1	0.462	−1.162			0.995	8427
	Mod. 2	0.469	−11.761	1.612		0.995	8397
	Mod. 3	0.464	−3.210	1.105	−26.505	0.996	8397
Forest							
Wet season	Mod. 1	0.423	−0.407			0.993	2076
	Mod. 2	0.437	−22.882	3.074		0.994	2067
	Mod. 3	0.441	−27.446	0.686	−12.054	0.994	2049
Wet-dry season	Mod. 1	0.420	0.766			0.996	1283
	Mod. 2	0.424	−8.042	3.121		0.996	1283
	Mod. 3	0.425	−8.972	0.436	−6.610	0.996	1283
Dry season	Mod. 1	0.432	−3.444			0.994	898
	Mod. 2	0.436	−9.302	−0.807		0.994	898
	Mod. 3	0.435	−4.325	0.606	−15.891	0.994	898
Dry-wet season	Mod. 1	0.427	0.594			0.993	1087
	Mod. 2	0.447	−32.168	5.544		0.994	1087
	Mod. 3	0.447	−34.066	0.274	0.518	0.994	1087
Annual	Mod. 1	0.425	−0.482			0.993	5344
	Mod. 2	0.434	−16.509	2.939		0.994	5335
	Mod. 3	0.435	−18.125	0.467	−7.072	0.994	5317

2. Table 2 should read:

Table 2

Period	Model	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>R</i> ²	<i>N</i>
Pasture							
Wet season	Mod. 1	0.464	3.847			0.998	181
	Mod. 2	0.466	−1.516	3.847		0.998	181
	Mod. 3	0.466	−1.362	−0.023	4.447	0.998	181
Wet-dry season	Mod. 1	0.459	2.363			0.996	174
	Mod. 2	0.513	−39.827	2.737		0.997	174
	Mod. 3	0.487	−22.223	0.499	−8.390	0.998	174
Dry season	Mod. 1	0.449	−4.044			0.946	184
	Mod. 2	0.335	79.082	−0.946		0.959	184
	Mod. 3	0.347	86.718	0.927	−27.462	0.969	184
Dry-wet season	Mod. 1	0.447	5.389			0.995	162
	Mod. 2	0.709	−234.375	4.109		0.996	162
	Mod. 3	0.766	−286.430	−0.629	20.423	0.997	162
Annual	Mod. 1	0.443	6.254			0.976	701
	Mod. 2	0.479	−27.375	5.257		0.977	701
	Mod. 3	0.435	17.944	1.495	−34.302	0.988	701
Forest							
Wet season	Mod. 1	0.416	1.881			0.984	175
	Mod. 2	0.457	−41.467	2.738		0.985	175
	Mod. 3	0.453	−40.867	0.903	−16.421	0.991	174
Wet-dry season	Mod. 1	0.422	−0.154			0.995	109
	Mod. 2	0.410	9.599	−0.339		0.995	109
	Mod. 3	0.418	3.108	0.396	−8.834	0.996	109
Dry season	Mod. 1	0.433	−4.017			0.947	77
	Mod. 2	0.431	1.893	−4.142		0.947	77
	Mod. 3	0.442	9.893	1.069	−35.878	0.957	77
Dry-wet season	Mod. 1	0.422	2.672			0.989	92
	Mod. 2	0.384	39.020	2.128		0.989	92
	Mod. 3	0.396	17.392	0.773	−10.179	0.992	92
Annual	Mod. 1	0.421	0.795			0.985	453
	Mod. 2	0.426	−4.352	0.925		0.985	453
	Mod. 3	0.426	−6.702	0.703	−13.566	0.988	452