CORRECTION



Correction to: Extreme precipitation events during 1960–2011 for the Northwest China: space-time changes and possible causes

Huailiang Wang¹ • Tao Gao^{2,3} **□** • Lian Xie³

Published online: 17 October 2018

© Springer-Verlag GmbH Austria, part of Springer Nature 2018

Correction to: Theoretical and Applied Climatology https://doi.org/10.1007/s00704-018-2645-8

The original version of this article unfortunately contained a mistake. The presentation of Figs. 8 and 9 were incorrect due to the insertion of black thick slashes. The corrected figures are given below.

The original article has been corrected.

The online version of the original article can be found at https://doi.org/ 10.1007/s00704-018-2645-8

☐ Tao Gao tgao.oc@gmail.com; gaotao212@163.com




School of Business, Heze University, Heze 274000, China

College of Urban Construction, Heze University, Heze 274000, China

Department of Marine, Earth and Atmospheric Sciences, North Carolina State University, Raleigh, NC 27695, USA

998 H. Wang et al.



 $\textbf{Fig. 8} \quad \text{Horizontal wind anomaly (unit, m s}^{-1}) \text{ between } 1960-1986 \text{ and } 1960-2011 \text{ (left panels), and between } 1987-2011 \text{ and } 1960-2011 \text{ (right panels)} \\ \text{at } 850 \text{ hPa} \\$






Fig. 9 Linear trend (unit, hPa decade⁻¹) of seasonal mean geopotential height at 850 hPa (left panels) and 500 hPa (right panels) during 1960–2011. Hatching denotes the regions with statistical significance at 95% confidence level

