ERRATUM

Erratum to: Microwave-assisted synthesis and diabetic/antioxidant assessments of 1,3,2-benzothiazaphosphole-3(2*H*)-carbothioamide and -diazaphosphole-3(2*H*)-dicarbothioamide 2-oxide derivatives

Wafaa M. Abdou¹ · Mohamed S. Bekheit¹ · Reham F. Barghash¹

Published online: 7 June 2016
© Springer-Verlag Wien 2016

Erratum to: Monatsh Chem DOI 10.1007/s00706-016-1721-y

The original version of this article unfortunately contained a mistake.

There were 2 wrong references in the text. The correct references are given here.

After removal of the solvent, the residue was collected and crystallized from EtOH to afford 2-phenyl-3*H*-1,3,2-

benzothiazaphosphole 2-oxide (**3**) as white substance (4.6 g, 61 %). M.p.: 190 °C (Ref. [40] 190 °C).

Similarly, the reaction between 3.24 g benzene-1,2-diamine (**6**, 30 mmol) and 3.9 g dichlorophenyl phosphine (**2**, 30 mmol) in 30 cm³ THF, under the conditions described above, afforded 1,3-dihydro-2-phenyl-1,3,2-benzodiazaphosphole 2-oxide (**7**) as orange substance (4.1 g, 60 %). M.p.: 275 °C (Ref. [26] 275 °C).

The original article was corrected.

The online version of the original article can be found under doi:[10.1007/s00706-016-1721-y](https://doi.org/10.1007/s00706-016-1721-y).

✉ Wafaa M. Abdou
wabdou@intouch.com;
wabdou@link.net

¹ Chemical Industries Division, National Research Centre, Elbohouth St., Dokki, Cairo 12622, Egypt