Erratum: Recharge mixing in a complex distributary spring system in the Missouri Ozarks, USA

Benjamin V. Miller · Robert N. Lerch ·
Christopher G. Groves · Jason S. Polk

Erratum to: Hydrogeology Journal (2014)
DOI 10.1007/s10040-014-1225-y

Due to typesetting errors in the prior version, Tables 1 and 2 are reproduced with corrections to data in rows for sites CC, TS2 and TS10 in Table 1, and rows for sites TS13 and WG in Table 2.

Published online: 25 March 2015

© Springer-Verlag Berlin Heidelberg 2015

The online version of the original article can be found at <http://dx.doi.org/10.1007/s10040-014-1225-y>.

B. V. Miller (✉) · C. G. Groves · J. S. Polk
Hoffman Environmental Research Institute, Department of
Geography and Geology, Western Kentucky University, Bowling
Green, KY 42101, USA
e-mail: caverben@yahoo.com

B. V. Miller
e-mail: bvmiller@usgs.gov

R. N. Lerch
USDA-Agricultural Research Service, Cropping Systems and Water
Quality Research Unit, 1406 Rollins St., Rm. 269, Columbia, MO
65211, USA

Present Address:

B. V. Miller
US Geological Survey, Tennessee Water Science Center, Nashville,
TN 37211, USA

Table 1 Mean ranks and differences among sites for *temperature*, *pH*, and specific conductivity (*SpC*) in cool and warm seasons

Site	Temperature		pH		SpC	
	Cool	Warm	Cool	Warm	Cool	Warm
CC ^a	1856 (A) ^c	786 (F)	1380 (D)	1829 (C)	1193 (D)	2663 (B)
TS1	1929 (A)	1650 (D)	601 (F)	2645 (B)	367 (F)	677 (F)
TS2	384 (D)	—	2108 (B)	—	1653 (C)	—
TS4	—	1928 (C)	—	2407 (B)	—	1850 (D)
TS5	—	1327 (E)	—	957 (E)	—	888 (F)
TS6	—	2346 (B)	—	1396 (D)	—	2199 (C)
TS8	895 (C)	755 (F)	1872 (C)	1819 (C)	2122 (B)	3013 (A)
TS10	933 (C)	2280 (B)	1502 (D)	916 (EF)	1054 (D)	810 (F)
TS11	1655 (B)	1223 (E)	765 (EF)	1583 (CD)	736 (E)	1338 (E)
TS12	1846 (AB)	879 (F)	195 (G)	202 (G)	1810 (C)	1826 (D)
TS13	2014 (A)	1277 (E)	830 (E)	696 (F)	313 (F)	1973 (CD)
WG	194 (D)	3035 (A)	2452 (A)	3035 (A)	2457 (A)	249 (G)
CD _(0.05) ^b	200	253	200	253	200	253

^a CC Carroll Cave; WG Wet Glaize Creek^b CD_(0.05)=critical difference value for determining significance between sites; calculated at $\alpha=0.05$ ^c Mean rank of ratio data relative to reference site TS7. Mean ranks listed for each column, followed by the same letter (*in parenthesis*) were not significantly different at $\alpha=0.05$ **Table 2** Average concentrations of major cations and bicarbonate (HCO_3^-) for 11 springs, Carroll Cave (CC), and Wet Glaize Creek (WG)

Site	Ca^{2+} mmol L ⁻¹	Mg^{2+}	Na^+	K^+	HCO_3^-	SpC^{d} $\mu\text{S cm}^{-1}$
CC	0.991±0.089 (AB) ^c	1.03±0.15	0.155±0.018	0.039±0.006	4.11±0.47	364±54
TS1	0.916±0.083 (ABC)	0.938±0.123	0.142±0.020	0.037±0.006	3.88±0.39	363±42
TS2	0.852±0.078 (CD)	0.862±0.088	0.151±0.023	0.040±0.009	3.67±0.39	343±38
TS4	0.914±0.083 (ABC)	0.921±0.113	0.138±0.017	0.035±0.006	3.87±0.39	364±42
TS5	0.910±0.073 (ABC)	0.919±0.105	0.140±0.019	0.037±0.007	3.84±0.36	348±33
TS6	0.925±0.072 (ABC)	0.900±0.092	0.141±0.020	0.036±0.006	3.90±0.40	349±35
TS7	0.913±0.073 (ABC)	0.923±0.101	0.148±0.025	0.036±0.005	3.88±0.38	352±41
TS8	1.00±0.09 (A)	0.991±0.121	0.154±0.036	0.038±0.006	4.26±0.48	396±45
TS10	0.917±0.070 (ABC)	0.918±0.108	0.135±0.018	0.036±0.005	3.89±0.40	360±42
TS11	0.920±0.077 (ABC)	0.921±0.110	0.140±0.019	0.036±0.006	3.87±0.38	361±43
TS12	0.966±0.057 (AB)	0.951±0.125	0.134±0.021	0.035±0.007	4.13±0.30	383±35
TS13	0.899±0.086 (BC)	0.972±0.165	0.135±0.017	0.036±0.006	3.89±0.40	363±42
WG	0.802±0.045 (D)	0.856±0.110	0.154±0.022	0.044±0.007	3.69±0.24	338±31
All Sites	0.917±0.020	0.931±0.029	0.144±0.005	0.037±0.002	3.91±0.10	360±10
<i>p</i> -value ^a	0.013	0.663	0.846	0.772	0.615	0.717
LSD _(0.05) ^b	0.098	NS	NS	NS	NS	NS

^a *p*-value=probability of observing a more extreme F statistic from the one-way ANOVA^b LSD least significant difference value calculated at $\alpha=0.05$; NS not significant^c mean±95 % confidence interval; for the Ca^{2+} data, means in *this column* followed by the same letter (*in parenthesis*) were not significantly different at $\alpha=0.05$ ^d SpC=specific conductivity