Correction: Impact of excessive groundwater pumping on rejuvenation processes in the Bandung basin (Indonesia) as determined by hydrogeochemistry and modeling

Ahmad Taufiq^{1,2,3} · Takahiro Hosono^{1,4} · Kiyoshi Ide¹ · Makoto Kagabu⁵ · Irwan Iskandar⁶ · Agus J. Effendi⁷ · Lambok M. Hutasoit² · Jun Shimada¹

Published online: 5 February 2018

© Springer-Verlag GmbH Germany, part of Springer Nature 2018

Correction to: Hydrogeology Journal (2017)

<https://doi.org/10.1007/s10040-017-1696-8>

Figure 3 of the original article contained some omissions and errors. The corrected Fig. 3b and c are given here.

Figures 4 and 5 were disordered in the text in sections ‘Results’ and ‘Discussion’, and an additional feature (dotted line) was missing from Fig. 4. The correct Figs. 4 and 5 (with correct captions) are given here.

The online version of the original article can be found at <https://doi.org/10.1007/s10040-017-1696-8>

✉ Ahmad Taufiq
ahmad.taufiq@pu.go.id; ahmadrentcar@gmail.com

¹ Graduate School of Science and Technology, Kumamoto University, 2-39-1 Kurokami, Kumamoto 860-8555, Japan

² Faculty of Earth Science and Technology, Bandung Institute of Technology, Ganesha 10, Bandung 40132, Indonesia

³ Research Center for Water Resources, Ministry of Public Work and Housing, Juanda 193, Bandung 40135, Indonesia

⁴ Priority Organization for Innovation and Excellence, Kumamoto University, 2-39-1 Kurokami, Kumamoto 860-8555, Japan

⁵ Graduate School of Fisheries and Environmental Science, Nagasaki University, 1-14 Bunkyo-Machi, Nagasaki 852-8521, Japan

⁶ Faculty of Mining and Petroleum Engineering, Bandung Institute of Technology, Ganesha 10, Bandung 40132, Indonesia

⁷ Faculty of Civil and Environmental Engineering, Bandung Institute of Technology, Ganesha 10, Bandung 40132, Indonesia

Fig. 3 Distribution maps of water type for **a** shallow groundwater (not shown here) and **b** deep groundwater; and distribution maps of CFC-12 concentration for **c** shallow groundwater and **d** deep groundwater plotted on a land-use map (not shown here; Bakorsortanal 2009)

Fig. 4 A geological cross section (C'–C, Fig. 1) with selected parameters. The position of the redox boundary is shown by a dotted line. The geological cross section adapted from an unpublished report (2002) by the Office of Energy and Mineral Resources - West Java Province and LPPM-ITB (see Table 1) is shown at the top with observed groundwater potentials (dashed lines) for 2015

Legend:

- Shallow Groundwater
- Deep Groundwater

Fig. 5 CFC-12 concentration along the cross sections (Fig. 1) showing the three depression areas (Fig. 2b). All geological cross sections adopted from the unpublished report (2002) by the Office of Energy and Mineral Resources - West Java Province and LPPM-ITB (see Table 1) with observed groundwater potentials (dashed lines) for 2015