Notfall Rettungsmed 2017 · 20:540–542
DOI 10.1007/s10049-017-0337-z
Online publiziert: 11. Juli 2017
© Springer Medizin Verlag GmbH 2017

CrossMark

A. Truhlář^{1,2} · C. D. Deakin³ · J. Soar⁴ · G. E. A. Khalifa⁵ · A. Alfonso⁶ ·
J. J. L. M. Bierens⁷ · G. Brattebø⁸ · H. Brugger⁹ · J. Dunning¹⁰ · S. Hunyadi-
Antičević¹¹ · R. W. Koster¹² · D. J. Lockey¹³ · C. Lott¹⁴ · P. Paal^{15,16} · G. D. Perkins^{17,18} ·
C. Sandroni¹⁹ · K.-C. Thies²⁰ · D. A. Zideman²¹ · J. P. Nolan²²

¹ Hradec Králové Region, Emergency Medical Services, Hradec Králové, Tschechien; ² Department of Anaesthesiology and Intensive Care Medicine, University Hospital Hradec Králové, Hradec Králové, Tschechien; ³ Cardiac Anaesthesia and Cardiac Intensive Care, NIHR Southampton Respiratory Biomedical Research Unit, Southampton University Hospital NHS Trust, Southampton, Großbritannien; ⁴ Anaesthesia and Intensive Care Medicine, Southmead Hospital, North Bristol NHS Trust, Bristol, Großbritannien; ⁵ Emergency and Disaster Medicine, Six October University Hospital, Cairo, Ägypten; ⁶ Departments of Renal and Internal Medicine, Victoria Hospital, Kirkcaldy, Fife, Großbritannien; ⁷ Society to Rescue People from Drowning, Amsterdam, Niederlande; ⁸ Bergen Emergency Medical Services, Department of Anaesthesia and Intensive Care, Haukeland University Hospital, Bergen, Norwegen; ⁹ EURAC Institute of Mountain Emergency Medicine, Bozen, Italien; ¹⁰ Department of Cardiothoracic Surgery, James Cook University Hospital, Middlesbrough, Großbritannien; ¹¹ Centre for Emergency Medicine, Clinical Hospital Center Zagreb, Zagreb, Kroatien; ¹² Department of Cardiology, Academic Medical Center, Amsterdam, Niederlande; ¹³ Intensive Care Medicine and Anaesthesia, Southmead Hospital, North Bristol NHS Trust, Bristol, Großbritannien; ¹⁴ Department of Anesthesiology, University Medical Center, Johannes Gutenberg-Universität, Mainz, Deutschland; ¹⁵ Barts Heart Centre, St Bartholomew's Hospital, Barts Health NHS Trust, Queen Mary University of London, London, Großbritannien; ¹⁶ Department of Anaesthesiology and Critical Care Medicine, University Hospital Innsbruck, Innsbruck, Österreich; ¹⁷ Warwick Medical School, University of Warwick, Coventry, Großbritannien; ¹⁸ Critical Care Unit, Heart of England NHS Foundation Trust, Birmingham, Großbritannien; ¹⁹ Department of Anaesthesiology and Intensive Care, Catholic University School of Medicine, Rome, Italien; ²⁰ Birmingham Children's Hospital, Birmingham, Großbritannien; ²¹ Department of Anaesthetics, Imperial College Healthcare NHS Trust, London, Großbritannien; ²² Anaesthesia and Intensive Care Medicine, Royal United Hospital, UK and Bristol University, Bath, Großbritannien

Erratum zu: Kreislaufstillstand in besonderen Situationen. Kapitel 4 der Leitlinien zur Reanimation 2015 des European Resuscitation Council

Erratum zu:
Notfall+Rettungsmedizin 2015
DOI 10.1007/s10049-015-0096-7

Im Original-Bericht ist die Abb. 3 nicht korrekt dargestellt worden. Wir bitten sie die hier korrigierte Abbildung zu beachten.

Korrespondierender Übersetzer

Dr. rer. nat. Dr. med. Burkhard Dirks
Badbergstraße 18
89075 Ulm Deutschland
dirks@grc-org.de

Korrespondenzadresse

A. Truhlář
Hradec Králové Region, Emergency Medical Services
Hradec Králové, Tschechien
dirks@grc-org.de

Die Online-Version des Originalartikels ist unter doi: 10.1007/s10049-015-0096-7 zu finden.

Abb. 3 ◀ Algorithmus für den traumatisch bedingten Kreislaufstillstand

Hier steht eine Anzeige.