ERRATUM

Erratum to: Scoring system for differentiating perforated and non-perforated pediatric appendicitis

Einat Blumfield¹ · Daniel Yang¹ · Joshua Grossman²

Published online: 18 August 2017
© American Society of Emergency Radiology 2017

Erratum to: Emerg Radiol (2017)
DOI 10.1007/s10140-017-1535-1

Unfortunately, the original publication of this article contained a mistake in the second line of Table 5. The correct content of this line is “Training set.” The original article has been corrected.

Table 5 Sensitivity and specificity of the scoring system using different cutoff values

	<i>p</i>	Sensitivity	Specificity
Composite score	Training set		
≥6	<0.001	90.6%	52.8%
≥11	<0.001	71.9%	85.8%
≥15	<0.001	31.2%	97.1%
Composite score	Test set		
≥6	<0.001	96.4%	63.6%
≥11	<0.001	60.7%	90.9%
≥15	<0.001	28.6%	98.7%

The online version of the original article can be found at <http://dx.doi.org/10.1007/s10140-017-1535-1>

✉ Daniel Yang
naumah@gmail.com

¹ Department of Radiology, Albert Einstein College of Medicine, Jacobi Medical Center, 1400 Pelham Parkway South, Bronx, NY, USA

² Department of Pediatrics, Albert Einstein College of Medicine, Montefiore Medical Center, 111 East 210th Street, Bronx, NY, USA