Erratum to: Emerging technologies in coloproctology: results of the Italian Society of Colorectal Surgery Logbook of Adverse Events

L. Basso · M. Pescatori · F. La Torre ·
I. Destefano · A. Pulvirenti D'Urso ·
A. Infantino · A. Amato · AECO Group

Published online: 20 December 2012
© Springer-Verlag Italia 2012

Erratum to: Tech Coloproctol DOI 10.1007/s10151-012-0906-6

Unfortunately reference 7 of this article was rendered incorrectly. It should have read as follows:

7. Basso L, Giuliani A (2011) On overdiagnosis and over-treatment of rectal conditions. BMJ. <http://www.bmj.com/rapid-response/2011/11/03/overdiagnosis-and-overtreatment-rectal-conditions>

The online version of the original article can be found under doi:[10.1007/s10151-012-0906-6](https://doi.org/10.1007/s10151-012-0906-6).

L. Basso · M. Pescatori · F. La Torre · I. Destefano ·
A. P. D'Urso · A. Infantino · A. Amato · AECO Group
Italian Society of Colorectal Surgery or Società Italiana di
Chirurgia Coloretale (SICCR), Rome, Italy

L. Basso (✉)
Department of Surgery, Faculty of Medicine and Dentistry,
“Sapienza” University of Rome, “Pietro Valdoni”, Policlinico
“Umberto I”, viale del Policlinico 155, 00161 Rome, Italy
e-mail: luigi.basso@uniroma1.it