ERRATUM

Takeo W. Tsutsui · Tomohiro Inaba · Larry W. Fisher
Pamela Gehron Robey · Takeki Tsutsui

In vitro chromosome aberration tests using human dental pulp cells to detect the carcinogenic potential of chemical agents

Erratum to: *Odontology* (2006) 94:44–50

In the article by T.W. Tsutsui et al. entitled “In vitro chromosome aberration tests using human dental pulp cells to detect the carcinogenic potential of chemical agents”, which appeared in *Odontology* vol. 94, no. 1 (pp. 44–50), parts of Figs. 1 and 2 appeared incorrectly. The microphotographs in Fig. 1C, E, and G were reversed (inverted right–left and top–bottom). The labels (letters and other symbols) are correctly positioned. The microphotograph in Fig. 1D was inverted top–bottom, but the labels are correctly positioned. In Fig. 2F, the microphotograph should be rotated 90° degrees counterclockwise and the magnification should be adjusted; the labels are correctly positioned. In the figures reproduced above, the ones on the left are shown as they appeared incorrectly. The figures on the right are shown as they should correctly appear.

The online version of the original article can be found at
<http://dx.doi.org/10.1007/s10266-006-0065-1>

T.W. Tsutsui · T. Tsutsui (✉)
Department of Pharmacology, The Nippon Dental University School
of Life Dentistry at Tokyo, 1-9-20 Fujimi, Chiyoda-ku, Tokyo
102-8159, Japan
Tel. +81-3-3261-8771; Fax +81-3-3263-5452
e-mail: takeki@tokyo.ndu.ac.jp

T. Inaba
Oral and Maxillofacial Surgery, The Nippon Dental University
Hospital at Tokyo, Tokyo, Japan

L.W. Fisher · P.G. Robey
Craniofacial and Skeletal Diseases Branch, National Institute of
Dental and Craniofacial Research, National Institutes of Health,
Department of Health and Human Services, Bethesda, MD, USA

Fig. 1

Fig. 2