Erratum to: Evaluation of bleeding on probing and gingival crevicular fluid enzyme activity for detection of periodontally active sites during supportive periodontal therapy

Hiroshi Ito · Yukihiro Numabe · Satoshi Sekino · Etsuko Murakashi · Hitomi Iguchi · Shuichi Hashimoto · Daisuke Sasaki · Takashi Yaegashi · Kazushi Kunimatsu · Hideki Takai · Masaru Mezawa · Yorimasa Ogata · Hisashi Watanabe · Satsuki Hagiwara · Yuichi Izumi · Yuka Hiroshima · Jun-Ichi Kido · Toshihiko Nagata

Published online: 16 January 2013
© The Society of The Nippon Dental University 2013

Erratum to: Odontology
DOI 10.1007/s10266-012-0090-1

The authors would like to correct certain errors in the original publication of the article.

In Table 3 the letters in the columns were inadvertently misaligned and are corrected as given and in Table 5 BOP(–) $n = 14$ was incorrectly published as OP(–) $n = 14$.

The online version of the original article can be found under doi:[10.1007/s10266-012-0090-1](https://doi.org/10.1007/s10266-012-0090-1).

H. Ito (✉) · Y. Numabe · S. Sekino · E. Murakashi · H. Iguchi
Department of Periodontology, The Nippon Dental University
School of Life Dentistry at Tokyo, 1-9-20 Fujimi, Chiyoda-ku,
Tokyo 102-8159, Japan
e-mail: hiroshi@tky.ndu.ac.jp

S. Hashimoto
Dental Research Institute, Radio Isotope Center, The Nippon
Dental University School of Life Dentistry at Tokyo,
1-9-20 Fujimi, Chiyoda-ku, Tokyo 102-8159, Japan

D. Sasaki · T. Yaegashi · K. Kunimatsu
Division of Periodontology, Department of Conservative
Dentistry and Oral Rehabilitation, Iwate Medical University
School of Dentistry, 1-3-27 Chuo-dori, Morioka,
Iwate 020-0085, Japan

H. Takai · M. Mezawa · Y. Ogata
Department of Periodontology, Nihon University School
of Dentistry at Matsudo, 2-870-1 Sakaecho-Nishi,
Matsudo, Chiba 271-8587, Japan

H. Watanabe · S. Hagiwara · Y. Izumi
Section of Periodontology, Department of Hard Tissue
Engineering, Graduate School of Medical and Dental Science,
Tokyo Medical and Dental University, 1-5-45 Yushima,
Bunkyo-ku, Tokyo 113-8549, Japan

Y. Hiroshima · J.-I. Kido · T. Nagata
Department of Periodontology and Endodontology, Institute
of Health Biosciences, The University of Tokushima Graduate
School, 3-18-15 Kuramoto, Tokushima 777-8504, Japan

Table 3 Correlation with clinical parameters and biochemical data in each category divided by BOP and PPD

		BOP (–) group with PPD ≤4 mm (205 sites)			BOP (+) group with PPD ≤4 mm (22 sites)			BOP (–) group with PPD ≥5 mm (96 sites)			BOP (+) group with PPD ≥5 mm (78 sites)		
		NE activity	AST activity	Amount of protein	NE activity	AST activity	Amount of protein	NE activity	AST activity	Amount of protein	NE activity	AST activity	Amount of protein
PII													
CC		0.023	0.283	0.163	0.141	0.233	0.131	–0.181	0.244	–0.085	0.091	0.099	0.084
SP		0.742	0.000**	0.019*	0.532	0.296	0.561	0.078	0.017*	0.410	0.426	0.388	0.463
GI													
CC		–0.058	0.030	0.107	0.278	–0.121	0.260	0.031	0.205	0.193	0.071	0.204	0.023
SP		0.411	0.672	0.128	0.210	0.593	0.243	0.763	0.045*	0.059	0.538	0.073	0.841
CAL													
CC		0.010	0.379	0.192	–0.138	–0.400	–0.126	–0.010	0.012	–0.002	0.082	0.027	0.045
SP		0.888	0.000**	0.006**	0.541	0.065	0.577	0.925	0.904	0.981	0.473	0.817	0.695
PPD													
CC		–0.033	0.318	0.204	0.210	–0.007	0.411	0.316	0.088	0.167	0.068	0.213	0.106
SP		0.636	0.000**	0.003**	0.349	0.977	0.058	0.002**	0.395	0.105	0.557	0.061	0.356
GCF													
CC		0.210	0.362	0.448	0.369	0.508	0.666	0.096	0.438	0.464	0.501	0.092	0.460
SP		0.003**	0.000**	0.000**	0.091	0.016*	0.001**	0.350	0.000**	0.000**	0.000**	0.425	0.000**

CC coefficient of correlation, SP significant probability

* Significant: $p < 0.05$ ** Significant: $p < 0.01$