ERRATUM

Erratum to: MEKC-LIF for Sensitive Discrimination of Six Potential Risk Predictors for Auxiliary Diagnosis of Anesthesia Complications in Clinical Urine Fluids

Fuwei Qi¹ · Hong Xie² · Zhong Zheng¹ · Yanhong Shang¹ · Xiaohua Fan³ ·
Xiuhua Zhao¹

Published online: 21 January 2017
© Springer-Verlag Berlin Heidelberg 2017

Erratum to: Chromatographia (2016)
79:1665–1670
DOI 10.1007/s10337-016-3175-0

In the original publication, the address for the authors were incorrectly published.

The correct address list for the authors are:

¹Department of Anesthesia, Taicang Affiliated Hospital of Soochow University, Taicang 215400, China

²Department of Anesthesia, The Second Affiliated Hospital of Soochow University, Suzhou 215004, China

³Department of Anesthesiology, Changhai Hospital, The Second Military Medical University, Shanghai 200433, China

The online version of the original article can be found under doi:[10.1007/s10337-016-3175-0](https://doi.org/10.1007/s10337-016-3175-0).

✉ Xiaohua Fan
fxh95007@126.com

✉ Xiuhua Zhao
zjq53505070@126.com

¹ Department of Anesthesia, Taicang Affiliated Hospital of Soochow University, Taicang 215400, China

² Department of Anesthesia, The Second Affiliated Hospital of Soochow University, Suzhou 215004, China

³ Department of Anesthesiology, Changhai Hospital, The Second Military Medical University, Shanghai 200433, China