Erratum to: Establishment of reference ranges for ductus venosus waveform indices in the Japanese population

Yasuhiro Takahashi · Keisuke Ishii ·
Keisuke Honda · Akira Kikuchi ·
Koichi Takakuwa · Kenichi Tanaka

Published online: 3 July 2013
© The Japan Society of Ultrasonics in Medicine 2013

Erratum to: J Med Ultrasonics (2010) 37:201–207
DOI 10.1007/s10396-010-0269-4

The original version of this article unfortunately contained an error. In the “Results” section of the main text, in the final sentence of the second paragraph, the formula for the a/S of the ductus venosus was incorrect. The correct formula is as follows:

$$a/S = (-0.00014 \times GA^2 + 0.01512 \times GA + 0.4392 + K \times 0.08787)^{10/7}$$

The online version of the original article can be found under doi:[10.1007/s10396-010-0269-4](https://doi.org/10.1007/s10396-010-0269-4).

Y. Takahashi (✉) · K. Ishii · A. Kikuchi · K. Takakuwa ·
K. Tanaka
Department of Obstetrics and Gynecology,
Niigata University School of Medicine, 1-757 Asahimachi,
Chuo, Niigata 951-8510, Japan
e-mail: yatyayaya@yahoo.co.jp

K. Honda
Department of Obstetrics and Gynecology,
Nagaoka Chuo General Hospital, 2041 Kasawaki,
Nagaoka, Niigata 940-8653, Japan