Erratum

Erratum to: Analysis of Drug Distribution from a Simulated Drug-Eluting Stent Strut Using an *In Vitro* Framework

CAROLINE C. O'BRIEN,¹ CHARLES H. FINCH,¹ TRACIE J. BARBER,² PENNY MARTENS,¹ and ANNE SIMMONS²

¹Graduate School of Biomedical Engineering, University of New South Wales, Sydney, NSW, Australia; and ²School of Mechanical and Manufacturing Engineering, University of New South Wales, Sydney, NSW, Australia

Erratum to: Annals of Biomedical Engineering DOI: 10.1007/s10439-012-0604-6

1. In Materials and Methods, *In Vitro* Preparation, the glycerine/water solution is incorrectly described as 40/60 wt.%, when it should be 40/60 vol.%. The text should read: The working fluid consisted of a glycerine and water mixture (40/60 vol.%) with 0.01% surfactant, with the latter determined to be sufficiently small so as not to significantly alter fluid properties.
2. In Materials and Methods, *In Vitro* Preparation, the value of the kinematic viscosity was incorrectly recorded as $3.99 \text{ cm}^2 \text{ s}^{-1}$, when it was in fact $0.0399 \text{ cm}^2 \text{ s}^{-1}$. The sentence should read: The mixture provided a transparent working fluid with similar properties to that of blood, including density of 1101.4 kg m^{-3} and kinematic viscosity of $0.0399 \text{ cm}^2 \text{ s}^{-1}$ at the experimental temperature of $23 \pm 0.2 \text{ }^\circ\text{C}$.

Address correspondence to Anne Simmons, School of Mechanical and Manufacturing Engineering, University of New South Wales, Sydney, NSW, Australia. Electronic mail: a.simmons@unsw.edu.au
The online version of the original article can be found under doi: 10.1007/s10439-012-0604-6.