Erratum to: Simple model of surface-induced electrolytic dissociation of weak acids in organic solvents

Marek Kosmulski

Published online: 25 September 2010
© Springer Science+Business Media, LLC 2010

Erratum to: Adsorption (2010) 16:343–349
DOI 10.1007/s10450-010-9239-9

The description of the x -axes of Figs. 1–3 was incorrect. Corrected versions of Figs. 1–3 are reproduced on the following page.

The author regrets the error.

The online version of the original article can be found under doi:[10.1007/s10450-010-9239-9](https://doi.org/10.1007/s10450-010-9239-9).

M. Kosmulski (✉)
Center of Excellence for Functional Materials and Graduate
School of Materials Research at Laboratory of Physical
Chemistry, Åbo Akademi University, Åbo, Finland
e-mail: mkosmuls@abo.fi

M. Kosmulski
Department of Electrochemistry, Lublin University
of Technology, Nadbystrzycka 38 A, 20-618 Lublin, Poland

Fig. 1 The effect of TiO_2 on the conductivity of oxalic acid in methanol. The model parameters are summarized in Table 2

Fig. 2 The effect of TiO_2 on the conductivity of oxalic acid in 94% ethanol. The model parameters are summarized in Table 2

Fig. 3 The effect of TiO_2 on the conductivity of phosphoric acid in 94% ethanol. The model parameters are summarized in Table 2