Erratum to: Hemispheric activation differences in novice and expert clinicians during clinical decision making

Pam Hruska¹ · Kent G. Hecker^{1,2} · Sylvain Coderre³ ·
Kevin McLaughlin³ · Filomeno Cortese⁴ · Christopher Doig⁵ ·
Tanya Beran¹ · Bruce Wright⁶ · Olav Krigolson⁷

Published online: 25 July 2017
© Springer Science+Business Media B.V. 2017

Erratum to: Adv in Health Sci Educ (2016) 21:921–933 DOI 10.1007/s10459-015-9648-3

In order to more accurately reflect the 3D coordinates listed within this article, the column headings should be changed from “MNI coordinates” to “vox coordinates” in Table 1 (p. 927) and Table 2 (p. 928). If you would like the MNI coordinates for the Tables, please contact Dr. Kent Hecker.

The online version of the original article can be found under doi:[10.1007/s10459-015-9648-3](https://doi.org/10.1007/s10459-015-9648-3).

✉ Kent G. Hecker
kghecker@ucalgary.ca

¹ Department of Community Health Sciences, Cumming School of Medicine, University of Calgary, Calgary, AB, Canada

² Department of Veterinary Clinical and Diagnostic Sciences, Faculty of Veterinary Medicine, University of Calgary, Calgary, AB, Canada

³ Undergraduate Medical Education, Cumming School of Medicine, Calgary, AB, Canada

⁴ Seaman Family MR Research Centre, Hotchkiss Brain Institute, University of Calgary, Calgary, AB, Canada

⁵ Department of Critical Care Medicine, Cumming School of Medicine, Calgary, AB, Canada

⁶ Division of Medical Sciences, University of Victoria, Victoria, BC, Canada

⁷ Neuroscience Program, Centre for Biomedical Research, School of Exercise Science, Physical, and Health Education, University of Victoria, Victoria, BC, Canada