Virulence of entomopathogenic hypocrealean fungi infecting *Anoplophora glabripennis*

Thomas Dubois · Jennifer Lund · Leah S. Bauer · Ann E. Hajek

Published online: 17 October 2007

© International Organization for Biological Control (IOBC) 2007

Erratum to: BioControl (2007)

DOI 10.1007/s10526-007-9112-2

In Table 4 of the original, the letters denoting statistical results for the third column were omitted. The corrected Table 4 is shown below.

Table 4 Median survival time (and 95% confidence intervals) and percent of cadavers with fungal outgrowth for *A. glabripennis* adults treated with suspensions of 10^7 conidia/ml of three *Metarhizium anisopliae* isolates (Bioassay F)

Fungal isolate	Number of insects	Days to death ($ST_{50} \pm CI$) ^{A,B}	% Fungal outgrowth ²
ARSEF 7234 (VD 1)	63	5.0 (4.0–7.0) a	90.5 a
ARSEF 7711 (F 52)	62	6.0 (5.0–6.0) a	77.4 ab
ATCC 62176 (ESC 1)	63	6.0 (5.0–7.0) a	61.9 b

^A Bioassays censored at 15 days

^B Values followed by the same letter are not significantly different at $\alpha = 0.05$. See text for results of comparison of days to death

The online version of the original article can be found under doi: [10.1007/s10526-007-9112-2](https://doi.org/10.1007/s10526-007-9112-2).

T. Dubois · J. Lund · A. E. Hajek (✉)
Department of Entomology, Cornell University, Ithaca, NY 14853-2601, USA
e-mail: ah4@cornell.edu

Present Address:

T. Dubois
International Institute of Tropical Agriculture, P.O. Box 7878, Upper Naguru, Kampala, Uganda

L. S. Bauer
USDA, Forest Service, Northern Research Station, East Lansing, MI 48823, USA