Erratum to: Synthetic microvascular networks for quantitative analysis of particle adhesion

Balabhaskar Prabhakarandian · Kapil Pant ·
Robert C. Scott · Christopher B. Pattillo · Daniel Irimia ·
Mohammad F. Kiani · Shivshankar Sundaram

Published online: 5 November 2013
© Springer Science+Business Media New York 2013

Erratum to: Biomed Microdevices (2008) 10:585–595
DOI 10.1007/s10544-008-9170-y

In the original manuscript, the last name of “Pattillo CB” was misspelled. Here we make the correction and apologize for the error.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s10544-008-9170-y>.

B. Prabhakarandian · K. Pant · S. Sundaram (✉)
Biomedical Technology, CFD Research Corporation,
215 Wynn Dr.,
Huntsville, AL 35805, USA
e-mail: sxs@cfdr.com

R. C. Scott · C. B. Pattillo · M. F. Kiani
Department of Mechanical Engineering, Temple University,
1947 North 12th Street,
Philadelphia, PA 19122, USA

D. Irimia
BioMEMS Resource Center, Massachusetts General Hospital,
114 16th Street, Room 1239,
Charlestown, MA 02129-4404, USA

M. F. Kiani
Department of Radiation Oncology, Temple University,
1947 North 12th Street,
Philadelphia, PA 19122, USA