Erratum to: Women's features and inter-/intra-rater agreement on mammographic density assessment in full-field digital mammograms (DDM-SPAIN)

Beatriz Pérez-Gómez · Franciso Ruiz · Inmaculada Martínez ·
María Casals · Josefa Miranda · Carmen Sánchez-Contador ·
Carmen Vidal · Rafael Llobet · Marina Pollán · Dolores Salas

Published online: 7 November 2012
© Springer Science+Business Media New York 2012

Erratum to: Breast Cancer Res Treat (2012)
132(1):287–295
DOI 10.1007/s10549-011-1833-3

Unfortunately, in the original publication of the article, the grant number in the funding information has been

published incorrectly. The correct funding information in the acknowledgement section should read as “grants FIS PI09/0790 & PI060386 from Spain's Health Research Fund (Fondo de Investigación Sanitaria)”.

The online version of the original article can be found under doi:[10.1007/s10549-011-1833-3](https://doi.org/10.1007/s10549-011-1833-3).

B. Pérez-Gómez (✉) · M. Pollán
Cancer and Environmental Epidemiology Unit,
National Center for Epidemiology, Instituto de Salud Carlos III,
Sinesio Delgado 6, 28029 Madrid, Spain
e-mail: bperez@isciii.es
URL: <http://www.isciii.es>

B. Pérez-Gómez · M. Pollán
Consortium for Biomedical Research in Epidemiology & Public
Health (CIBER en Epidemiología y Salud Pública-CIBERESP),
Madrid, Spain

F. Ruiz · I. Martínez · M. Casals · J. Miranda · D. Salas
Breast Cancer Screening Programme, General Directorate
Public Health, Valencia, Spain

J. Miranda · D. Salas
Centro Superior de Investigación en Salud Pública (CSISP),
Valencia, Spain

C. Sánchez-Contador
Balearic Islands Breast Cancer Screening Programme, Health
Promotion for Women and Childhood. General Directorate
Public Health and Participation, Regional Authority of Health
and Consumer Affairs, Balearic Islands, Spain

C. Vidal
Cancer Prevention and Control Unit, Catalan Institute
of Oncology (ICO), Barcelona, Spain

R. Llobet
Universidad Politécnica de Valencia, Valencia, Spain